

Vrtalkovití (Diptera: Agromyzidae) Jizerských hor a Frýdlantska

Agromyzidae (Diptera) of the Jizerské hory Mts and Frýdlant region (northern Bohemia, Czech Republic)

Oknq- GTP

E \ ó"985"85" J cngpmqxkeg"3=g/o ckn"egtp{0 o knqu B egptw o le |

Abstract. V jg "urgeku" qh"Citqo { | kfcg"htq o "v j g "Lk|gtum" j qt{"Ovu"cpf" Ht fncpv"tgikqp"ctg"nkvfg<cnvqjgvjgt"384"urgeku"ygtg"hqwpf"kp"vjg"ctgc"wpfgt"uwwf {"*Lk|gtum" j qt{"Ovu"ó"364"urgeku."Ht fncpv"tgikqp"ó"9:"urgeku"0"Ukz"urgeku"ygtg"tgeqtfgf"kp"vjg"E|gej" Tgrwdnke"htq"vjg" Ltvu"vkog" Liriomyza tanaceti"fg" Oglgltg."3;46-L. wachtlii J gpf g."3;42- Phytomyza enigmoides" J gtpki."3;59-P. penicilla" J gpf g."3;57-P. trollii" J gtpki."3;52-P. trollivora J gtpki."3;57."cpf"ukz"urgeku"ygtg"hqwpf"kp"Dqjg o kc"htq"vjg" Ltvu"vkog" L. buhr" J gtpki."3;59-L. puella"Ogkigp."3;52-L. taurica"\nqdkp."4225-Napomyza bellidis" I tkhLvju."3;89-N. maritima" xqp"Vuejktbjcwu."3; :3-N. merita\nqdkp."3; ;50"Vjg"pw o dgt"qh"urgeku"uegvtcpgf"tgrtgwpv"o qtg"vjg"57 "qh"vjg"E|gej"hcwp"cpf"cu o quv"68 "qh"vjg"urgeku"mpqy p"htq o "Dqjg o kc"Vjg"urgeku"ykv"Rcicgetevé"fkuvtdwkwqp"fkuvtpenf"rtgxckn"5608 "+.hqmqy g"fd"J qnctevé"470; "+cpf"Gwtqrgcp"urgeku"460/3 '+0"Eq o o gpv"qp"j quv"rncpvu"ctg"ikxgp"y jgtg"rquukdng

Key words: Fkrvgtc."Citqo { | kfcg."Lk|gtum" j qt{"Ovu."Ht fncpv"tgikqp"pgy"tgeqtfu."fkuvtdwkwqp."hcwpkuvkeu."dkqnq i {

-XQF

Xtvcnmqxkv" *Citqo { | kfcg+ rcv " o g | k"ftwjqx "pglrq gyp 1- gngfk"fxqwm fn ej"u"xfeg" pgf"4":22"egnqnx vqx "rqrucp ok"ftwj {."|vqj q"gxtqrnuma"hcwpc" |cj tpwlq"qmqnq";22"ftwj " * gtp " ("Ogt"4228."4229-Octvkgp"4229:+0"X" gum²"tgrwdnkeg"lg" x"uqw cup"2"fqd "fquwf" |lk-v pq"67:"ftwj "x"3;"tqfgej" * gtp "(X^anc"4228=" gtp "4229:+0"Qdnccv" Lk|gtum ej" j qt" c" Ht fncpvumc"pgd{nc" x" f" |x 1- fqd "r gfo" yg o "1 o w"urgekenku" pc" o kpwl"ej"j o { | ."rtqvq" vcm²"fquwf"pgluqw"rwdnkmqx"pc"fl"fp"uvct- "hcwpkuvkem"fcvc"cpk"q" gngfk" C itqo { | kfcg"|"v²vq" qdnccv"Vgrtxg"pgf"xpq" d{n" r tg"gpvqx"p" "rtxp" fxc"hcwpkuvkem"2" Áfcclg" Melanagromyza artemisiae"Urgpegt."3;79" | nqmcnkv" {Vkej a" mc" Napomyza achilleanella" xqp"Vuejktbjcwu."3; ;4" | nqmcnkv" {Qnf kej qx" x" J a" ej" * gtp "gv"cm"4228d+0"R gfmn"fcpa"rt"eg" | c jtpwlg"rtxp"wegngp"fcvc"q" x um{vw"ftwj "v²vq" gngfk" |Lk|gtum ej" j qt" c" Ht fncpvumc

Citqo { | kfcg"luqw"o cn²"clf"xgn o l"o cn²"o w-m{."fqr nek"o "x"tq| og| "qf"2.;"clf"rq"6.7"o o" Rqmwf"lg" w" ftwj " | p^a o a" dkqnq i kg."nctx{ "x-gej" ftwj "luqw" h"vqh"ip" *Urgpegt"3; ;2+.fkl" " xg"vm"pk"flx ej"tquvnkp" c" x"vx" gl" | fg" rtq"mcfll "ftwj " { rkem" o kp" "J gtpki"3;79+0" Nctx{ "x v-kp" ftwj " flk" "x"nkuvgej."mfg" x"vx" gl" "nkuvqx"2" o kp" "Nctx{ "tqf" Melanagromyza."Napomyza" c" "uvk"ftwj "Ophiomyia"flk" "xg" f" gpk"nqf{ "j" c"pc"mq" gpgej" j quvkgnum ej"tquvnkp" Ftwj { "tqfw"Phytobia"flk" "xg" x" vxk m" e"j" x" n" mw" p" mvgt ej" f" gxkp" c"nctx{ "tqfw"Hexomyza" x"vx" gl" " v" rkem" j a" nm{ "pc" x" vxk m" ej" f" gxkp" P" mqnkm" ftwj " xtvcnmqxkv ej"flkg" x"mx" vgej."ug o gpgej" c"rqnqfgej"0"X" v-kpc"ftwj " gngfk"lg"qnkiqh"ip"ej" c"uxql" "rqtctxp" " xkunquv"lg"urgekenku"q"pc"pc"dn" | eg" r "dw"p"2" ftwj { "tqf" "pgdq" gngf" "j quvkgnum ej"tquvnkp" P" mvgt"2" ftwj { "luqw" Á|eg" o qpqh"ip" "c" o kpwl" "rqw" g"pc"lgfk"p"2" o "ftwjw" P" crtqyk"vq o w"lgp" o cn" "uv" ftwj " rcv "m"-ktqeg"rqn{h" a" ip" o "c"lgkej"urgmvtwo"j quvkgnum ej"tquvnkp" | c jtpwlg" xgn o k"-ktqm "qmtwj"

tquvnpk"|"x^aeg" gngf⁰"Lgp" o^anq^aftwj "lg" | p^a o q^alcmq^ax^aflp^a"-m fek^atquvnpk^a"x" | g o f nuxv^a"c^apc" nqup^ae j^amwnwt^ae j^a*Urgpegt^a3;95=Fctxu^agv^acn^a4222-Umwjtcx^a"(Tqswgu^a4222."x v-kpc^aftwj " pg o^afl^afp "jqrqf^a um "x" | pc o^a

OGVQFKMC'C'OCVGTkfN

Xg-mgt "o cvgk^an^ad^a{n^a|^aum^ap^ax^angvej^a422564229^ap^aungfw^af^ao^ak^ao^agqfc^ao^ak^aud tw^awxgf^agp^a"|mtcvn{"luqw^ar^arqflkv^a"x^ar g^ajngfw^aftwj "^aEHV^ao^aeqo^adkgf^a"^aki^aj^av^ateru^as^atc^a|qx^a2^arcuk^a. "GV^ao^ag^agit^apeg^avtcr^a"g^aogt^ag^app^arcuk^a. "N^ao^ah^ai^aj^av^a"*ud t^apc^aux^av^aq^a: "OV^ao^aC^ackug^avtcr^a"^aO^ackug^aq^arcuk^a. "R^aT^ao^ar^at^aco^afc^avtcr^a"r^at^aco^afk^aap^arcuk^a. "UY^ao^ay^agr^aki^a"*fgpp^ak^apk^ap^au^ao^am^ap^ax^ag^aveg^agp^ao^aqqi^alcmq^aw^au^a+. "RV^ao^ag^am^aqy^arcp^avtcr^a"flnw^a2^ao^aku^a{^ao^aL^ag^afp^aftwj "lg^ax^ap^a"|nctgx^a,mvgt^a2^ad^a{n^a|^aum^ap^a"o^akp^a{"j^aq^akvgn^a2^atquvnpk^a{R^atp^ao^acvgt^an^a"g^ax^a-ge^aj^a"{r^arcu^ar^arnvc^aL^aR^aR^ag^akung^a"(R^aX^apk^amc^a"n^aiv^aF^acn^a"r^arqflkv^a"|mtcvn{"l^ao^agp^aud t^acvn^aL^aR^ao^agp^a{R^arqflkv^a"|mtcvn{"PRT^ao^ap^at^aq^afp^ar^at^aq^afp^a"tg^agtxceg." RT^ao^ar^at^aq^afp^a"tg^agtxceg." RR^ao^ar^at^aq^afp^a"rc o^avmco

R g^ajngf^ah^aqmcnkv

—fclg^am^ah^aqmcnkv^ao^aluqw^awxgf^agp^a{"x^ap^aungfw^af^ao^ar^aq^ac^a"^aunq^ac^ap^a|gx^ah^aqmcnkv^a"*qdge."^auv^aq^adeg^ae^aj^at^ap^ap^a"^ag^a/o^a!xtej^aq^ar^aq^afl^a."h^awpk^au^aem^a"o^acr^aq^a"^av^axtg^ae^aR^atp^ag^a"(O^amc^a3;+8."pc^ao^aq^aum^a"x^a-mc."dk^aq^aq^ar^aP^amvgt^a2^ah^aqmcnkv^a"luqw^at^af^angp^a{"pc^ax^aeg^adk^aq^ar^a."mvgt^a2^aluqw^a|p^agp^a{R^afu^ao^agp^a{R^arqflkv^a"|mtcvn{"PRT^ao^ap^at^aq^afp^ar^at^aq^afp^a"tg^agtxceg." RT^ao^ar^at^aq^afp^a"tg^agtxceg." RR^ao^ar^at^aq^afp^a"rc o^avmco

[1] **Bilý Potok.** "7379< [1a]" o^aq^acf^a"c^ax^aj^am^a2^an^aqwm{"pc^am^aqwr^acnk^a-v^a"lk^afp^a"q^af^aq^adeg^a."632" o^a=[1b]"t^adp^am^a{"uxl^aq^aflng^a|pk^ap^af^a"uvcpkeg^a."672" o^a*"rtc^ao^agp^a-v^a"o^aq^acf^a=[1c]"n^aqwm{"2.7"m^ao^augx^atp^a"q^af^aq^adeg^a."672/722" o^a=[1d]"h^aqmcnkv^a"2.7"m^ao^alk^afp^a"q^af^aq^adeg^a."742" o^a=[1e]"D^at^avnq^ax^ad^aq^aw^a."q^amtcl^a"nguc^a2.7"m^ao^alx^aq^afl^a"q^af^aq^adeg^a."7:2" o^a=[1g]"q^amtcl^a"nguc^a3"m^ao^alx^aq^afl^a"q^af^aq^adeg^a."7:2" o^a=[1h]"ngu^a3"m^ao^augx^atp^a"q^af^aq^adeg^a."w^arqvqmc^aO^acn^a"T^a{d^ax^aq^af^a."772" o^a=[1i]"ngu^a3.7"m^ao^augx^atp^a"q^af^aq^adeg^a."w^arqvqmc^aO^acn^a"T^a{d^ax^aq^af^a."822" o^a=[1j]"ngu^a3.7"m^ao^augx^atp^a"q^af^aq^adeg^a."w^aM^a k^afe^aj^amc^ao^agp^a."792" o^a=[2] **Bukovec PR.** "737:< [2a]"h^aq^aup^a"r^atc^ao^agp^a-v^a"pc^alx^au^axc^aj^aw^a;"42" o^a=[2b]"R^at^acnq^awmc^a"*j^aqtum^a"h^aqmcm^a."r^atc^ao^agp^a-v^a+"."22" o^a=[2c]"W^arq^amp^apx^a"h^aqmcm^a"x^aj^am^a"h^aqmcm^a."o^aq^acf^a:"."2:"o^a=[2d]"dw^ak^apc^alx^au^axc^aj^aw^a;"52" o^a=[2e]"q^afw^ao^ag^aa"u^aot^ak^ap^ayg^ao^alg^a"dw^ar^av^a"j^aq^apc^a"0"u^axc^aj^aw^a;"22" o^a=[3] **Bulovka.** "7278."522" o^a."h^aq^aup^a"t^adp^am^a{"ee^a4"m^ao^augx^atp^a"q^af^aq^adeg^a"r^al^au^av^ap^a"j^atp^aek^a."[4]"g^atp^a"j^aq^atc^a"RT."7379."3"272" o^a."tc^ag^apk^a-v^a"X^ap^aq^a"h^aqmcm^a"[5]"g^atp^a"lg^a"t^amc^a"RT."7379;"."42" o^a."tc^ag^apk^a-v^a"V^ag^ax^ah^aqmcm^a!"[6]"g^atp^aq^awu^a"X^aR^aq^ah^aqmcm^a!"[7] **Dolní Pertoltice**"*q^adg^ae^aR^ag^atp^aq^ah^aqmcm^a!"[8] **Frýdlant.** "7278."542" o^a."d^ag^aj^ag^agm^a"U^ao^af^a2^a"[9] **Hartice.** "7379< [11a]"q^amtcl^a"ngu^a2.3"m^ao^alk^afp^a"q^af^aq^adeg^a."652" o^a=[1b]"h^aqmcm^a2.4"m^ao^alk^afp^a"q^af^aq^adeg^a."662" o^a=[1c]"ngu^a2.9"m^ao^alk^afp^a"q^af^aq^adeg^a."762" o^a=[12] **J^aq^atp^a**"g^atp^a"U^aw^af^apk^aeg^a"q^adg^ae^aP^aq^ax^aX^ag^apc^a"P^aku^aq^a."7479."972" o^a."x^aj^am^a2^an^aqwm^a."o^aq^acf^a."q^an^ak^ap^a+"[13] **J^aq^atp^aN^acp^a"*q^adg^a"N^aw^acp^a"pc^aP^aku^aq^a."7479."892" o^a."t^adp^am^aM^aU^am^a"h^aqmcm^a."o^aq^acf^a=[14] **Horní Pertoltice**"*q^adg^ae^aR^ag^atp^aq^ah^aqmcm^a!"[14a]"t^ajp^aq^at^adp^am^a"522" o^a*"o^aq^acf^a=[15] **Horní Polubný**"*q^adg^ae^aM^ag^apxq^a."7474."922" o^a."o^aq^acf^a"c^an^aqwm^a"lx^aq^af^aq^aucf^a!"[16]"L^ag^afq^ax^af^a"[17] **R^aq^ah^aqmcm^a**"r^ag^atp^aq^ah^aqmcm^a!"[18] **Jizerka**"*q^adg^ae^aM^ag^apxq^a."7377:< [18a]"d^ag^aj^ag^agm^a."."52" o^a=[18b]"h^aqmcm^a"x^aq^aucf^a."."52/."92" o^a=[19] **Klínov**"v^avrch^a."94" o^a."r^aq^af^an^aeg^a!"[20] **M^ag^apxq^a**."7474."."8:2" o^a."r^aq^ah^aqmcm^a"o^aq^akp^a."r^aq^af^aflg^a"uvcpkeg^a!"[21] **M^at^aup^a**"U^aw^af^apk^aeg^a"q^adg^ae^aD^ag^af^ake^aj^aq^ax^a."7379."22:."52" o^a=[22] **M^atku^aq^apx^a**"*q^adg^ae^aD^ag^af^ake^aj^aq^ax^a."7379."."22:."52" o^a=[23] **M^afq^ax^at^aej^a"RT.** "7278."542/572" o^a*"ngu^a."o^aq^acf^a!"[46]"N^aw^acp^a"pc^aP^aku^aq^a."7479."862" o^a."x^aj^am^a2^an^aqwm^a"w^am^aqwr^acnk^a-v^a"ugx^atp^a"q^af^aq^adeg^a!"[47]"O^acn^a"U^avt^acp^a"RT."7479."922/942" o^a*"n^aqwm^a."o^aq^acf^a."t^adp^agm^a"r^aq^ah^aqmcm^a!"[26] **O^act^ap^aumq^aj^aq^at^aum^a2^ad^aq^aw^a**"*q^adg^ae^aC^adt^age^aj^aveg^a"x^aL^agt^agm^a"r^aq^af^aq^adeg^a!"[27] **O^acep^af^a"U^ao^af^a2^a"RT."7278;"[27a]"t^adp^am^aF^awd^am^a."442" o^a*"d^ag^aj^ag^agm^a."o^aq^acf^a=[27b]"t^adp^agm^au^aq^af^at^adp^am^aFl^awd^am^a."442" o^a*"o^aq^acf^a."[27c]"crmqxc^a"w^aq^acf^a."R^ag^af^apeg^a"*q^adg^ae^aX^a-q^ax^a."442" o^a=[27d]"h^aqmcm^a"c^ad^ag^aj^ag^agm^a"U^ao^af^a2^aw^aq^acf^a."Hknkrqxm^a"*q^adg^ae^aX^a-q^ax^a."442" o^a=[28] **Mníšek.** "7378."652" o^a."h^aqmcm^a"x^aq^ade^ar^aq^af^a!"[29]"flg^a"vtcv^a!"[30] **P^aC^aR^au^akp^ae^aj^a**"7379."."92" o^a."3"m^ao^ax^aej^aq^afp^a"q^af^aM^atp^aq^ax^aj^aq^ate^aj^aw^a!"[31] **Q^anf^ake^aj^aq^ax^au^aq^af^aj^a**"7378."722" o^a."X^atp^ap^aeg^auv^a"dw^ak^apc^a!"[32] **Q^anf^ake^aj^aq^ax^aJ^al^aej^a**"7378;"[32a]"n^aqwm^a"x^aq^amf^a"q^adeg^a."622" o^a=[32b]"a^auv^aP^aR^akn^ae^aj^a."r^aq^ah^aq^ag^akeg^a."622" o^a=[32c]"dw^ak^apc^a."692" o^a=[33] **Q^ag^ap^af^ax^ate^aj^aq^an^a"PRT^aL^agt^aumq^aj^aq^at^aum^a2^ad^aq^aw^a**!"[34] **R^acm^ap^af^am^a"x^ate^aj^aq^an^a"[34a]"d^ag^aj^ag^agm^a"J^al^agp^a2^aj^aq^afp^a"q^aq^adeg^aD^a!"[35] **Pavilna louka.** "7379."."72" o^a."4"m^ao^ax^aej^aq^afp^a"q^af^ae^ajc^a!"[35] **Pavilna louka.** "7379."."72" o^a."4"m^ao^af^arcfp^a"q^af^ae^ajc^a!"[35]******

*tc-gnkp-kv +0" [36] **Plavy.** "7479." 622" o. "Àfqn" "Rtqtwdum²j q" "rqvqmc" *t{dpf gm. "ngup" "rqvqm+0" [37] **Poledník** *xtejqn." PRT" Lk|gtumqjqtum²dw kp+. "7378." :72" o" *dw kpc+0" [38] **Quarré PP***"Rnqe j "xtej+. "7379." :62" o" *tc-gnkp-kv +0" [39] **Raspenava.** "7278/7378:[39a]" t{dpf m"J cmgp" c"rqvqm" "rqvqm+0" "o qm cf."rcuvxlp{+=[39b]} J qwd" "rqvqm" rqf"flng|pk p" "tvcv." 542" o" *o qm cf."qn-kpc=:[39c]" nqwm {"2.: "m o" "ugxgtip" "qf" "qdeg." 562" o" [40] **Tc-gnkp-kv** "Lk|gtm{" PRT." 7379/737 :<[40a]" d gj { "Uchftqx²j q" "rqvqmce." :72" o" *tc-gnkp-kv . "mng qx²" "rqtlquv{." tc-gnkp" u o t kpc+0" [41] **Rejdice***"qdge" Mq gpqx+. "747.. "872" o."rqvqm" "Lg-mtdcge" *o qm cf+0" [42] **Rudolfov***"qdge" Nkdgtge+."7478." 872" o."Afqn" "gtp²" Pku{[43] T{df" "ngw m" "RT." 737.. :72" o" *tc-gnkp-kv . "tc-gnkp" "u o t kp{+0" [44] **Umnagpe keg***"qdge" X{uqm²"pcf" Lk|gtqvw+. "747.. "772/782" o."quefc" C o gtmce" "ngup" "rqvqm+0" [45] **U o tm***"o cuhx" j qt{+."7379." [45a]" u o "kpc" p"1" 0" uxcjw." 3" 322" o" [45b]" tq|eguv" X fip" "ugv|m{ "c" Pgdgum²j q" "flgd fmw." 3" 2" 2" o." rqrqf²" "eguv{=" [46] "rk" "m" *xtejqn." PRT" Lk|gtumqjqtum²dw kp{+."7378." 822" o."dw kpc{[47] **Štolpichy***"Afqn." PRT" Lk|gtumqjqtum²dw kp{+."7379." 962" o."xqfqra" F"Xgum²j q" "Tm" "vqrkej w{[48] **Vkej** a" | mc"RR." 7479." 972" o" *xnjm²" "nqwm{." tc-gnkp-kv +0" [49] **Tišina***xtejqn." PRT" Lk|gtumqjqtum²dw kp{+."7379." [49a]" :2" o."rqrqf²" "eguv{=" [49b]" ;2" o."rqrqf²" "eguv{=" [49c]" Htcepew|um²" mc o gp{. :72" o."rqrqf²" "eguv{[50] **U Kyselky***"lkfp" "qf" "Pqx²j q" O uvc" "rqrqf²" Uo tmgo+. "7479." 822" o."Afqn" "Vtcegp²j q" "rqvqmce" "o qm cf."ngu." "rqvqm+0" [51] **X^a**"encx" "mqxc" "Uwf" "pmc" *"qdge" Mq gpqx+. "747.. :72" o" *o qm cf."xnjm²" "nqwm+0" [52] " "nev^a"Qng-pleg." 747.. :<[52a]" "uv" P" xctqxum^a. "822" o" *nw p" "rtco gpk-v +=[52b]" Ftc " rqvqm" "rgf" "Àu" "o" "fq" "nqvpmw." "682" o" *o qm kp{+0"

X UNGFM ["C" FKUMWUG

R g j n g f" | lk-v p e j" f t w j

W" mcflf²" nqmcnvk{ "lg" "wxg fgfpq" "fcvw o" *kpvgtcxen" ud tw." r q gv" fgvgto kpxqxp ej" uc o e " c" uc o ke." | mtcvmc" o gvqf { "c" "gxgpw" np " | mtcvmc" l o 2pc" ud tcvngl" Ftwj { "luqw" c|gp{ "cdgegfp ." pq o gpmncvwtc" "lg" "rqfng" "gtp²" j q" ("X^a" { *4228+0" Fcn- "rqwflkv²" | mtcv { <"CZ!" ó" p q x "ftwj" "rtq" "gumqw" "tgrwdhkmw" "B!" o" p q x "ftwj" "rtq" gej { 0

Agromyza albipennis" O g k i g p. "3:52

J qnctmvkem "ftwj" d flp "tq" -| gp "x" Gxtqr 0" Nctx { "x{vx^a gl" o kp{ "pc" uxtejp" "utcp" "nkuuw" "vtcx." pgl/ d flp 1-¶" j qukvgnun^a" tquvnkpc" "lg" "Phalaris arundinacea" c" vcm²" cfc" ftwj "tqf "Poa" c" "Hordeum" Bily Potok [1b]" <7/4; 0XKK04227. "3" " *OV+0" gtpqwu{ /X" Rqpk [6]" <360XK0/30XKK04229. "5" " *OV+0" Mníšek [28]." 460XK04225. "3" " *UY+." LR"

Agromyza albitarsis" O g k i g p. "3:52

Rcngctmvkem "ftwj." d flp "x" Gxtqr "k" "x" T." r q v x t | gp "tqxp ff" | "Vwtgemc" c" Lcrqpu m c 0" Nctx { "vxq ¶" xgum². "rnq-p²" | gngp q gtp² o kp{ "x" nkuvgej "Populus" ur r 0" c" Salix ur r.

gtpqwu{ /X" Rqpk [6]" <360XK0/30XKK04229. "3" " *OV+

Agromyza alnivora Urgpegt. "3:8;

Gxtqr um "ftwj 0" Nctx { "o kpwl" "x" nkuvgej "Alnus ur r 0." mfg" x{vx^a gl" "rtxqvp "À" | mqw" ej qfdk mw." mvgt a" "ug" r q f l k" | pc p "tq" -| wlg" f q" -ktqm²" rnq-p² o kp{ 0

Horní Pertoltice [14b]" <360XK0/30XKK04229. "3" " *OV+0" 470XK0/390XKK04229. "7" " *OV+0"

Agromyza anthracina" O g k i g p. "3:52

Rcngctmvkem "ftwj" "p^a o " | glo 2pc" | "Gxtqr { "cng" "rqvxt" | gp "vcm²" | " | p { 0" Nctx { "o kpwl" "x" nkuvgej "Urtica dioica"

Frýdlant [9]" <440XK04228. "3" " *UY+." LR" Rejdice [41]" <4: 0XKK0/380XKK04227. "3" " *GV+

Agromyza felleri J g t k p i. "3:63

Gxtqr um "ftwj 0" Nctx { "x{vx^a gl" o kp{ "x" nkuvgej "Vicia ur r 0

Bily Potok [1b]" <50/3; 0XK04227. "3" " *OV+

Agromyza frontella *Tqpfcpk."3:97+
J qnctmkem "ftwj'd flp "tq|-¶ gp "x"egn²"Gxtqr ."|p^a o "vcm²"|"Chi j^apkuv^apw."K|tcng."Vwtgemc."
Mcpcf {"c" WUC0"Rcv ¶m"ftwj' o "tqfw"Agromyza"okpwl¶ej"pc"Xekcecg0" Nctx {"okpwl¶jncxp "
x"nkuvgej"Medicago sativa"fcn-¶ej"ftwj "tqfw"Medicago."cng"vcm²"pc"Melilotus ur r0
gtp^a"jqtc"RT"]6_<360/4;0XKK04226."3" **OV+0

Agromyza graminicola Jgpfgn."3:53
Rcnctmkem "ftwj0" Nctx {"x{vx^a gl¶"-ktqmqw"okpw" x"nkuvgej"Phragmites communis.
gtpqwu{/X'Rqmk [6]<360XK0/30XKK04229."3" **OV+=470XK0/390XKK04229."3" **OV+=390XKK0/90KZ04229."3" **OV+0

Agromyza idaeiana Jctf {"3:75
Vgvpq^jqnctmkem "ftwj"lg" x"uvct-¶"nkvgtevw g" |p^a o "lcmq"u{pqp{ owo "Agromyza potentilla"
"Mcngvpdc ej."3:86+"Dncpf"4222+0" Ftwj"lg" d flp "x"Gxtqr ."x"uv gfp¶o "c" x ejqfp¶o "r
cnctmkem "C" Ugxgtp¶C o gkeg0" Nctx {"x{vx^a gl¶"À|mqw"mt"vmqw"ejqfdk mw."mvgt^a"ug"rq|f lk"
tq|-k wlg"fq"-ktqm²"rnq-p²"okp{"x"nkuvgej"p mvgt ej"tquvnkp"|" gngfk" Tqucecg0"tqf{"Agri-
monia. Alchemilla. Comarum. Filipendula. Fragaria. Geum. Potentilla. Rosa. Rubus.
Sanguisorba+0"
Mt^aup^a"Uvw f^apmc [21]<3;0XK04225."3" **UY+."LR]

Agromyza johannae fg"Ogkltg."3:46
Ftwj"lg"fquwf" |p^a o "lgp"|"Gxtqr { "J qukvgnm o k"tquvnkp o k"luqw" Cytisus scoparius."x|^aep lk"
Genista"ur r0" c" Lupinus ur r."Nctx {"x{vx^a gl¶" |rq^a vmw" xgn o k"À|mqw"ejqfdk mw."mvgt^a"ng o wlg"
qmcl¶nkuvw" c" r q|f lk"ug"tq|-k wlg"fq"-ktqm²"umxtp {"qmqnq"uv gfp¶"flknm {"nkuvw0
Bíly Potok [1b]<350XK04229."3" **UY+."O 0" Hejnice [11a]<350XK04229."3" **UY+."O 0"

Agromyza lucida Jgpfgn."3:42
J qnctmkem "ftwj" |p^a o "|gl o²pc"|"Gxtqr {"c" Mcpcf {"wx^af p "vcm²"|"Kpfkg0" Nctx {"vxq ¶"-ktqmqw"
rnq-pqw"okpw" x"nkuvgej"vtcx."|gl o²pc" Glyceria maxima" c" Deschampsia cespitosa0
Ogcptf{"Uo f²RT [27a]<360XK04229."3" **UY+."O 0

Agromyza mobilis Ogi gp."3:52
Rcnctmkem "ftwj"jqlp "tq|-¶ gp "gl o²pc" x"Gxtqr ."cng" |p^a o "vcm²" |¶p{"c" Lcrqpuimc0" Nctx {"
okpwl¶" x"nkuvgej" Triticum aestivum.

Bíly Potok [1e]<340XK04229."3" **UY+."O 0" [1f]<370XK04229."3" **UY+."O 0" Bukovec PR [2d]<380XK04229."
4" **UY+."O 0" Hejnice [11d]<350XK04229."3" **UY+."O 0" Horní Pertoltice [14a]<470XK0/390XKK04229."3" "
*OV+= [14b]<30XK04227."3" **UY+."LR" Jizerka [18b]<3;0/440XK04228. 3" **UY+."LR" Mq gpqx"42_<3;0XK04228."
3" **UY+."LR" Ogcptf{"Uo f²RT"49f_<360XK04229."3" **UY+."O 0" Mníšek [28]<4;0XK04227."3" **UY+."LR"
Rck p¶m"54c_<340XK04229."5" **UY+."O 0" Plavy [36]<450XK04228."3" **UY+."LR"

Agromyza nana Ogi gp."3:52
X v-kpqw"qdgep "tq|-¶ gp "ftwj" x"rcngctmkem" qdnckv" x gyp "Gi { rvc."Octqmc."Vwpkuw."Vwtgemc"
c" x ejqfp¶"Udk "lg" j q" x um "v"lg" vcm²" rqvxt |gp " |"Kpfkg0" P^a ngfl¶"m" ftwj o "umwrkp {"A. orobi
* \nqdkp"4222+."mvgt²"flkl¶"pc" tquvnkp^a ej" gngfk" Xekcecg0" *Medicago sativa, Trifolium ur r0,
Melilotus ur r0. "mfg"nctx {"vxq ¶"nkuvqx²"okp{

Bíly Potok [1i]<330XK04229."3" **UY+."O 0

Agromyza nigripes Ogi gp."3:52
J qnctmkem "ftwj"qdgep "tq|-¶ gp "x"Gxtqr "c" Mcpcf . "rqvxt |gp "vcm²"|"Kpfkg" c" U tkg0" Nctx {"
okpwl¶" x"nkuvgej"vtcx."|gl o²pc" Glyceria maxima" c" Holcus ur r0

Bílý Potok [1b] <380XK0/70XKK0/4227. "3" "*OV+ [1f] <370XK0/4229. "4" "*UY+. "O = "[1g]" <370XK0/4229. "4" "*UY+. "O 0 "Bukovec PR [2b]" <70/420XKK0/4225. "3" "*R [T+0" **Horní Pertoltice [14a]** <470XKK0/390XKK0/4229. "3" "*OV+0" M flqx "xtej" "RT"]45_ <50XKK0/4226. "3" "*UY+. "LR" O cn a "Uvtcp" "RT"]47_ <40XKK0/4227. "3" "*UY+. "LR" **Meandry** U o f²"RT"]49d_ <530X0/440X0/4227. "4" "*OV+0" Qnf kej qx "x J "jej"]54c_ <460X0/4225. "3" "*UY+. "LR" Q g-p[m" [33] <350XK0/4229. "6" "*UY+. "O 0 "Rcnk p[m"]56d_ <340XK0/4229. "5" "*UY+. "O 0 "Uo tm"]67d_ <340XK0/4229. "4" "*UY+. "O 0 "**Štolpichy [47]** <350XK0/4229. "4" "*UY+. "O 0

Agromyza nigrociliata J gpfgn. "3; 53

Rcngetmvkem "d flp "tq|-¶ gp "ftwj 0" Nctx { "okpw" "x" "nkuvgej" vtcx. pcr 0 "Agropyron caninum." *Apera spica-venti.* *Arrhenatherum elatius.* *Hordeum murinum.* *Secale cereale.* *Triticum aestivum* "cl0

Ogcptf { "Uo f²"RT"]49f_ <360XK0/4229. "3" "*UY+. "O 0

Agromyza pseudoreptans Pqycmqy umk. "3; 89

J qnctmkem "ftwj "tq|-¶ gp "x" Gxtqr "c" Ugxgtp "C ogtkeg. "rqvxt | gp "vcm²" | "Mcp^a tum ej "quvtqx " c" W | dgmkuv^a pw0" Nctx { "okpw" "x" "nkuvgej" *Urtica dioica* 0

Frýdlant [9] <440X0/4228. "3" "*UY+. "LR" **J qtp**" gtp^a"Uvwfpkdeg"]34_ <450XK0/4228. "3" "*UY+. "LR" Mq gpqx"]42_ <3; 0XK0/4228. "3" ".3" "*UY+. "LR" Ogcptf { "Uo f²"RT"]49c_ <0Z0/4226. "3" "*UY+. "LR" [27c] < :0Z0/4226. "3" ".3" "*UY+. "LR" Rcnk p[m"]56c_ <340XK0/4229. "5" "*UY+. "O = "[34b] <340XK0/4229. "6" "*UY+. "O 0 "Rejdice [41]" 470X0/4228. "3" "*UY+. "LR"

Altqo /c" rugwfgtwLrgu Pqycmqy umk. "3; 86

Rcngetmvkem "ftwj "tq|-¶ gp "jncxp "x" ugxgtp "uv gfp "c" | "rcfp "Gxtqr . "rqvxt | gp "vcm²" | "Lcrqpmc0" Nctx { "okpw" "x" "nkuvgej" *Myosotis palustris* "c" *M. sylvatica* 0

Raspenava [39b] <330XK0/4228. "3" "*UY+. "LR" **Rejdice [41]** <470X0/4228. "3" ".3" "*UY+. "LR"

Agromyza reptans Hcnⁿp. "3; 45

Ftwj "qdgep "tq|-¶ gp "x" Gxtqr "c" rqvxt | gp "vcm²" | "Vwtgemc. " ¶p. "Kpfkg. "Mwtknm ej "quvtqx ." Lcrqpmc "c" | g" Ugxgtp "C ogtkm { "Mcpfc. "WUC+0" Nctx { "okpw" "x" "nkuvgej" *Urtica dioica* "c" fcn-¶ej" ftwj "tqfw" *Urtica* "o²p "cuvq" pc" *Parietaria ur r0, Cannabis ur r0* "c" *Humulus ur r0*

Bukovec PR [2b] <70/420XKK0/4225. "3" "*R [T+0" gtpqwu { "X" Rqpk [6] <470XKK0/390XKK0/4229. "3" "*OV+0" **Dolní Pertoltice [7]** <30XK0/4227. "3" "*UY+. "LR"

Agromyza rondensis Uvtqdn. "3; 22

Rcngetmvkem "ftwj "p^a o "x" egn²" Gxtqr . "lgjqfl" x um { v"lg" rqvxt | gp "vcm²" x" Lkflp "Mqtglk. "K | tcgnk. " Vwtgemw "c" pgf^a xpq "vcm²" x" Ucwffum²" Cta dkk0" J quvkgnum²" tquvnkp { "luqw" vt^ax { "tqf "Arrhenatherum, *Bromus, Calamagrostis, Dactylis* "c" *Poa* 0

J qtp" gtp^a"Uvwfpkdeg"]34_ <450XK0/4228. "3" "*UY+. "LR" **Tc-gnkp-v** "Lk | gtm { "PRT [40b]" <390XKK0/30Z0/4227. "3" "*OV+0

Agromyza vicifoliae J gtkpi. "3; 54

X ejqfqrcngetmvkem "ftwj "p^a o " | " Gxtqr { "c" rqvxt | gp "vcm²" | "M { rtw" c" K | tcgnqg0" Nctx { "okpw" "x" "nkuvgej" *Vicia ur r0*

Horní Pertoltice [14a] <360XK0/4229. "3" "*OV+

*Amauromyza *Cephalomyza* "t cxkhtqpu *Ogkigp. "3; 52+

J qnctmkem "ftwj "tq|-¶ gp "x" Gxtqr "c" Ugxgtp "C ogtkeg. " | p^a o "vcm²" | "Vwtgemc "c" Mktik | uv^a pw0" Nctx { "okpw" "pc" *Beta vulgaris, Dianthus ur r0, Lychnis ur r0, Melandrium ur r0, Saponaria ur r0, Silene ur r0, Spinacia oleracea c Stellaria ur r0*

Bukovec PR [2a] <30XK0/4227. "3" "*UY+. "LR" **Frydlant [9]** <440X0/4228. "4" "*UY+. "LR" **Jizerka [18b]**: 4; 0XKK0/4226. "3" "*UY+. "LR"

Amauromyza **Cephalomyza*+ *labiatarum* * J gpfgn."3;42+
Gxtqr "ftwj."lgjqfl"nctx{"okpwlf"Xg"uvqpeej" *Lamium* ur r0." *Ballota* ur r0." *Stachys* ur r0
Horní Pertoltice [14a]"30/470XKK04229."4" **OV+

Amauromyza **Cephalomyza*+ *monfalconensis* *Uvtqdn."3;2;+
Rcngctmvkem "ftwj "|p^a o " |"Gxtqr {"c"rqvxt|gp "vcm²" |"W|dgmkuv^a pw0"Dkqnqikg"ftwjw"lg"fqufw"
pg|p^a o^a0
Raspenava [39c]"380XK04229."3" **UY+.O 0

*Aulagromyza lucens**fg"Ogkltg."3;46+
Gxtqr "ftwj."lkflp"Gxtqr {"fqufwf"rqvxt|gp "rkw|g|"Dcng^atum ej"quvtqx 0"X" T"lg" |p^a o "
rkw|g|"lgfp²nqmcnvk{"x" gej^aej<Pg o q-keg" gtp "("X^anc"4227+0"Dkqnqikg"ftwjw"lg"fqufw"
pg|p^a o^a0
Ogcptf{"Uo f²"RT"}49c_<;0XK04228."3" .3" **UY+.LR0

Aulagromyza orphana * J gpfgn."3;42+
X ejqfqrcngctmvkem "ftwj" d flp "tq|-¶ gp "x"Gxtqr "c"Vwtgemw0" Nctx{"okpwlf"pc" *Galium*
aparine"c" *G. palustre*0
Horní Pertoltice [14b]"30/XK04227."3" **UY+.LR0**Ogcptf{"Uo f²"RT"}49c_<;0XK04228."3" .4" **UY+.LR=**
[27b]"60/3;0XK04227."4" .3" **OV+=3;0/530XK04227."5" .3" **OV+0"

Aulagromyza trivittata *Nqgy."3:95+
Ftwj"lg"tq|-¶ gp "x"Gxtqr 0" Nctx{"okpwlf"Xg"uvqpmw" *Galium mollugo*0
Rejdice [41]"470XK04227."3" **UY+.LR0

Cerodontha **Butomomyza*+ *angulata* *Nqgy."3:8;+
J qnctmvkem "ftwj"tq|-¶ gp "x"Gxtqr "c"Ugxgtpf"C ogtkeg." |p^a o "vcm²" |"Vwtgemc."Lcrqpu"mc"
c" Mwtknun ej"quvtqx 0" Nctx{"x{vx^a gl"fnqwjqw" |gnqpw"okpw" x"nkugej" *Carex* ur r0" c"vcm²"
*Scirpus sylvaticus*0

Bílý Potok [1g]"370XK04229."3" **UY+.O 0 gtpqwu{/X'Rqpk [6]"470XKK0/390XKK04229. 3" **OV+0**Frýdlant [9]**"
440XK04228."3" **UY+.LR0M ¶lqx "xtej"RT"]45_<530XK04226."3" **UY+.LR0"m"68_<4:0XK04227."3" **UY+.LR0

Cerodontha **Butomomyza*+ *sciri* *Mctn."3;48+
J qnctmvkem "ftwj" |p^a o " |"Gxtqr {"c"Ugxgtpf"C ogtkm{0" Nctx{"okpwlf" x"nkugej" *Carex* ur r0"
c" *Scirpus sylvaticus*0

Fojgem "o qm cf"RR":_<3;0XK04225."3" **UY+.LR0**Horní Pertoltice [14a]**"360XK04229."3" **UY+.O 0"Ocn^a"
Uvtcp"RT"]47_<60XKK04226."3" **UY+.LR0\ ncv^a"Qng-pkeg [52a]<50XK04226. 3" **UY+.LR0

Cerodontha *u0"uvt0+"chLpku" Hcmn²p."3:45+
Gxtqr "ftwj."lgjqfl"dkqnqikg"lg"fqufw"pg|p^a o^a0
Bukovec PR [2b]"380XK04229."5" .4" **UY+.O 0

Cerodontha *u0"uvt0+denticornis *Rcp|gt."3:28+
Rcngctmvkem "ftwj" |egnc" d flp "x"Gxtqr 0" Nctx{"okpwlf" x"nkugej" vtcx." |glo²pc"tqf "Agropyron,
Alopecurus, *Avena*, *Calamagrostis*, *Dactylis*, *Festuca*, *Holcus*, *Hordeum*, *Phalaris*, *Phleum*,
Poa c *Triticum*0

Bílý Potok [1b]"50/380XK04227."3" .4" **OV+0**Bukovec PR [2a]**"320XKK04225."3" **UY+.LR=[2b]"530XK04225."

3" *UY+=440XK04227."4" *UY+=430XK04228."3" *UY+."x-g"LR=[2c]<90XK04228."3" .5" *OV+=["2d"]<30XK04225."3" *UY+."LR"Jizerka [18a]-;0XKK04225."4" .6" *UY+=;0XKK04225."3" *UY+=4;0XK04228."3" *UY+."x-g"LR-[18b]<4;0XKK04226."4" .3" *UY+=3;0XK04227."3" *UY+."x-g"LR"Ogcpft{"Uo f"RT"]49f_<3./470XK04229."3" *OV+0"PC'Mqvnk [29]<350XK04229."3" *UY+."O 0"Te-gkp-k-v "Lk|gtm{"PRT"]62c_<450XK04227."7" *UY+."LR=[40b]<90XK04226."3" .3" *UY+."LR=70/4;0XKK04227."3" *OV+=4;0XKK0/390XKK04227."3" *UY+."LR=390XKK0/30KZ04227."3" *OV+

Cerodontha *u0"uvt0+"fulvipes" *Ogkigp."3:52+

Rcnqctmvkem "ftwj" d flp "x"Gxtqr "c" | p^a o "vcm²" x" | p "c" Lcrqpmw0" Nctx { " o kpwl" x" nkuvgej" *Poa trivialis*. cng" vcm²" pc" lkp ej " vtcx" ej 0

Bílý Potok [1b]<50/380XK04227."3" .3" *OV+=380XK0/70XKK04227."3" *OV+=3;0XKK0/60KZ04227."3" .3" *OV+=430XK04228."3" .3" *UY+."LR"Ogcpft{"Uo f"RT"]49f_<360X/360XK04229."3" *OV+0"Te-gkp-k-v "Lk|gtm{"PRT"]62c_<450XK04227."3" *UY+."LR

Cerodontha *u0"uvt0+ unguicornis J gpf gn."3:54

Rcnqctmvkem "ftwj" | p^a o " | "g"uv gfp" Gxtqr { ."ugxgtp" "Kv" nkg" c" vcm² | g"Ugxgtp" Mqtglg0" Dkqnq i kg" ftwj w"lg" fquwf" pg | p^a o^a 0

Jizerka [18b]<3;0/440XK04228."3" *UY+."LR

Cerodontha *Dizygomyza bimaculata *Ogkigp."3:52+"

Rcnqctmvkem "ftwj" | p^a o " | "Gxtqr { ."x um{ "lg" rqvxt | gp "vcm² | "Mwtknum ej "quvtqx "c" Lcrqpmc0" Nctx { " o kpwl" x" nkuvgej "Luzula ur r0." | gl o 2pc" L. pilosa0

Bílý Potok [1a]<530XK04226."3" *UY+=40XK04228."4" *UY+."x-g"LR-[1b]<430XK04228."3" *UY+."LR"Frýdlant [9]<440XK04228."3" *OV+0" Hejnice [11b]<350XK04229."3" *UY+."O 0

*Cerodontha**Dizygomyza brisiaca P qy cmq y umk."3:95

X ej qfqrcnqctmvkem "ftwj" | p^a o " | "g"uv gfp" Gxtqr { ."Nqv{-umc" c" Octqmc0" Dkqnq i kg" ftwj w"lg" fquwf" pg | p^a o^a 0

Bílý Potok [1c]<330XK04229."3" *UY+."O 0" \ rev" Qng-pkeg [52a]<50XK04226."3" *UY+."LR

Cerodontha *Dizygomyza fasciata *Uvtqdn."3: :2+

J qnctmvkem "ftwj" | p^a o " | "Gxtqr { "c" Ugxgtp" C o gktm { "Dkqnq i kg" ftwj w"lg" fquwf" pg | p^a o^a 0

Bulovka [3]<30XK04227."3" *UY+."LR"Frýdlant [9]:440XK04228,"4" .3" *UY+."LR" Horní Pertoltice [14a]<360XK0/30XKK04229."3" *OV+=3/470XKK0/390XKK04229."5" *OV+=470XKK0/390XKK04229."4" *OV+0" Ogcpft {"Uo f"RT"]49c_< ;0XK04228."4" .3" *UY+."LR" Mníšek [28]<4;0XK04227."3" .3" *UY+."LR" Plavy [36]<450XK04228."3" *UY+."LR" Raspenava [39b]<330XK04228."3" *UY+."LR

Cerodontha *Dizygomyza luctuosa *Ogkigp."3:52+

Vgpvq" ftwj "lg" | p^a o " r gfgx- | o" | "j qnctmvkem² qdnucvk. "x um{ "lg" rqvxt | gp " | "Gxtqr { ." | p{ ." Ugxgtp" C o gktm { "c" vcm² | "Ogzkmc0" Nctx { " o kpwl" pc" Juncus effusus0

Bílý Potok [1a]<530XK04226."3" *UY+."LR=40XK04228."4" *UY+."LR-[1b]<50/380XK04227."3" *OV+=380XK0/70XKK04227."4" *OV+=4;0XKK0/3;0XKK04227."5" .5" *OV+=430XK04228."4" .3" *UY+."LR=[1c]<330XK04229."3" *UY+."O = [1b]<330XK04229."3" *UY+."O = [1i]<330XK04229."3" *UY+."O 0" gtpqwu { /X'Rqnk [6]<360XK0/30XKK04229."5" *OV+0" Horní Pertoltice [14a]<3/470XKK0/390XKK04229."9" .3" *OV+=470XKK0/390XKK04229."4" *OV+0" Nw cp" pc f" Pkuqw [24]<390XK04225."3" *UY+."LR" Ogcpft {"Uo f"RT"]49c_<360XK04229."4" *UY+."O 0" Pc" Rq u kp^a ej "j52_<340XK04229."3" *UY+."O 0" Qnf kejqx' x" J "lfej"]54d_<490XK04226."3" *UY+."LR" Rcnk pfm" [34c]<340XK04229."3" *UY+."O 0" Plavy [36]<450XK04228."3" *UY+."LR" U o tm"]67d_<340XK04229."3" *UY+."O 0" Tišina [49]<340XK04229."4" *UY+."O 0

Cerodontha **Dizygomyza+ morosa* *Ogkigp. "3:52+
J qnctmvkem "ftwj"tq|-gp "x"Gxtqr ."Ugxgtp" C o gtkeg"c" rqvxt|gp "vcm²" | "Ocfgkt{."C|qt/um ej"c"McP^atum ej"quvtqx ." "p{."Kpfk."Lcrqpumc"c"vcm²Hknkr"p" Nctx{"okpwl"pc"ftw"ej"tqfw"Carex.

gtpqwu{/X'Rqnk [6]<360XK0/30XKK04229."3" "*OV+|"Harta [10]<340X04228."3" "*UY+."LR" J qtp" gtp" "Uvwfpkeg" [12]<450XK04228."3" "*UY+."LR" Horní Pertoltice [14a]<360XK04229."5" "*UY+."O =360XK0/30XKK04229."3" "*OV+|"Ogcpt{"Uo f²"RT"}49c_<30X04227."3" .3" "*UY+."LR=360XK04229."4" "*UY+."O =[27d]<360XK04229."3" "*UY+."O "Pavlina louka [35]<370XK04229."3" "*UY+."O 0

*Cerodontha***Dizygomyza+suturalis* *Jgpfgn."3:53+
Rcnctmvkem "ftwj."lgjqfl"nctx{"okpwl"pc"Carex hirta" \ "nqmcnkv" x" P o gemw"lg"wxgf gpc"lcmq" j quvkvnum^a"tquvnkpc"Scirpus maritimus

Horní Pertoltice [14a]<360XK04229."3" "*UY+."O 0

*Cerodontha***Icteromyza+capitata* *\gwgtuvfv."3:6:+
J qnctmvkem "ftwj."lgjqfl"nctx{"okpwl"pc"Juncus effusus

Bíly Potok [1c]<330XK04229."6" "*UY+."O "Hqlvgem " o qm c f"RR":_<3:0XK04225."4" "*UY+."LR" Horní Pertoltice [14a]<360XK04229."3" "*UY+."O 0 Lkpf kej qxum " o qm c f"RR [17]<390XK04225."3" "*UY+."LR" Mt^aup^a"Uvwfpme"43_<3:0XK04225. 3" "*UY+."LR" Ocn^a"Uvtcp"RT"}47_<60XK04226."3" "*UY+."LR" Ogcpt{"Uo f²"RT" [27a]<440XK04227."3" "*UY+."LR=360XK04229."3" "*UY+."O 0 Mníšek [28]<460XK04225."3" "*UY+."LR" Quarré PP [38]<4:0XK04225."3" "*UY+."LR

*Cerodontha***Icteromyza+rozkosnyi* gtp ."4229
X ejqfqrcngctmvkem "ftwj"pgf^axpxp"rqrucp " | " gum²"tgrwdhkm{."Twowpumc"c"Octqmc" gtp "4229+0"Pa^ang" | "pc" Ht fnccpumw"lg"ftwj " rqvxt|gp "x um{v"ftwjw"x" gej^aej" Dkqnqikg"ftwjw"lg" fquwf"pg|p^ao^a0

gtpqwu{/X'Rqnk [6]<360XK0/30XKK04229."4" "*OV+

*Cerodontha***Phytagromyza+t cxqekpi wncvc* *Uvtqdn."3:2:+
J qnctmvkem "ftwj"tq|-gp "x"Gxtqr "c" | p^ao "vcm²" | "Mcpfc{0"J quvkvnum²"tquvnkpc{"luqw"vt^ax{"|glo²pc" | "tqf "Agropyron, Agrostis, Alopecurus, Calamagrostis, Dactylis, Festuca, Holcus, Phleum c Poa.

Bíly Potok [1a]<40XK04228."5" "*UY+."LR" Bulovka [3]<30X04227."3" "*UY+."LR" Qnf kej qx" x" J^alfej"]54d_<490X04226."3" "*UY+."LR

*Cerodontha***Poemyza+atra* *Ogkigp. "3:52+
Rcnctmvkem "ftwj" d flp "x"Gxtqr 0" Nctx{"okpwl" x" nkuvgej" vtcx."wx^af p{"luqw"j nexp "ftwj {"Calamagrostis epigejos c Agrostis stolonifera}

Bíly Potok [1b]<50/380XK04227."3" .3" "*OV+=4;0XKK0/3:0XKK04227."4" "*OV+=430XK04228."3" "*UY+."LR" [1c]<330XK04229."5" "*UY+."O 0" Bukovec PR [2b]<380XK04229."3" "*UY+."O =[2c]<90XK04228."3" "*OV+|"Mníšek [28]<460XK04225."3" "*UY+=4;0X04227."5" "*UY+."x-g"LR" Raspenava [39a]<530XK04226."3" "*UY+."LR" Tc-gukpk-v "Lk|gtm{"PRT"}62_<450XK04227."3" "*UY+."LR

*Cerodontha***Poemyza+beigerae* Pqycmqy umk."3:94
Ftwj" | p^ao " rqw|g" | g"uv gfp" Gxtqr {."Ukdk g" c" Ugxgtp" Mqtglg0 Nctx {"okpwl" x" nkuvgej" Calamagrostis canescens, C. arundinacea, C. villosa" c" Agrostis canina"

Bíly Potok [1g]<370XK04229."3" "*UY+."O 0" gtpqwu{/X'Rqnk [6]<360X/360XK04229."3" "*OV+|"rk^am"]68_<4:0XK04227."3" "*UY+."LR

Cerodontha *Poemyza+ *calamagrostidis* Pqycmqy umk."3;89

J qnctmkem "ftwj|tq|-gp "x"Gxtqr ."|p^ao "vcm²" |"Mcpcf{0" Nctx{" o kpwl|x"nkuvgej" *Calamagrostis canescens*, *C. arundinacea* c *C. villosa*l

Bílý Potok [1h]<"330XK04229."3" **UY+."O = [1i]<"330XK04229."4" **UY+."O 0" **Harta [10]**<"340XK04228."4" **UY+."LR" **Hejnice [11c]**<"350XK04229."4" **UY+."O 0" Mq gpqx"42_<"3;0XK04228."4" **UY+."LR" **Rcnk pfm**"56d_<"340XK04229."3" **UY+."O 0" Tc-gnkp-v "Lk|gtm{"PRT"}62c_<"450XK04227."3" **UY+."LR" **Tišina [49b]**<"340XK04229."3" **UY+."O 0" **U Kyselky [50]**<"40/420XK04228."4" **OV+0

Cerodontha *Poemyza+ *imbuta* *Ogkigp."3:5:+

J qnctmkem "ftwj|d flp "x"Gxtqr "c"Ugxgtp|"C o gtkeg."rqvxt|gp "x um{v"vcm²"| " |p{."R^amkuv^a/pw" c" Lcrqpumc 0" Nctx {" o kpwl|x"nkuvgej" vtcx. jncxp "tqf "Agropyron, *Calamagrostis*, *Festuca* c *Phalaris*.

Bílý Potok [1f]<"370XK04229."5" **UY+."O = [1g]<"370XK04229."3" **UY+."O 0" **J qtpf**" gtp^a"Uwfpleg"34_<"450XK04228."3" **UY+."LR" Lkp f kej qxum "o qm cf"RR"39_<"390XK04225."3" **UY+."LR" m"rk am"68_<"4:0XK04227."4" **UY+."LR"

Cerodontha *Poemyza+ *incisa* *Ogkigp."3:52+

Ftwj|d flp "tq|-gp "x"Gxtqr ."cng" |p^ao "vcm²"| " |p{."R^amkuv^a pw."Lcrqpumc"Ugxgtp|"C o gtkm{0" Nctx {" o kpwl|x"nkuvgej" vtcx. jncxp "tqf "Agropyron, *Calamagrostis*, *Festuca* c *Phalaris*.

Bílý Potok [1b]<"430XK04228."3" **UY+."LR" [1h]<"330XK04229."4" **UY+."O 0" **Bukovec PR [2b]**<"530XK04225."3" **UY+."LR" 7/420XKK04225."5" .3" **OV+0" **Horní Pertoltice [14a]**<"360XK04229."3" **UY+."O = 470XKK0/390XKK04229."3" **OV+0" O cn a"Uvtcepc"RT [25]";0/450XKK04225. 5" **OV+0" Ogcptf{"Uo f2"RT"}49f_<"360XK0/360XK04229."3" **OV+360XK04229."3" **UY+."O = 3/470XKK04229."4" **OV+0" Rcnk pfm"56d_<"340XK04229."3" **UY+."O 0" m"rk am" [46]<"440XK04225."3" **UY+."LR" **U Kyselky [50]**<"40/420XK04228."3" **OV+0

*Cerodontha**Poemyza+ *lateralis* *Oceswctv."3:57+

Rengctmkem "ftwj|d flp "x"Gxtqr "c"tq|-gp "vcm²x"Ugxgtp|"Chtkeg"Vwpku+. "Vwtgemw." |p " c" Lcrqpumw" Nctx {" o kpwl|x"nkuvgej" vtcx. jncxp "pc" Agropyron repens, *Hordeum vulgare*, *Secale cereale* c *Triticum aestivum*.

Bílý Potok [1b]<"380XK0/70XKK04227."7" **OV+= [1d]<"370XK04229."3" .5" **UY+."O 0" **Bukovec PR [2b]**<"70/420XKK04225."3" **R [T+0" gtpqwu"/X"Rqpk [6]<"360XK0/30XKK04229."3" **OV+0" **Horní Pertoltice [14a]**<"360XK04229."36" **UY+."O 0" **Klínový vrch [19]**<"340XK04229."5" **UY+."O 0" Ogcptf{"Uo f2"RT"}49c_<"360XK04229."49" .3" **UY+."O = [27d]<"360XK0/360XK04229."6" .3" **OV+=360XK04229."3:" .3" **UY+."O 0

*Cerodontha**Poemyza+ *muscina**Ogkigp."3:52+

J qnctmkem "ftwj|d flp "|p^ao "x"Gxtqr "c"Ugxgtp|"C o gtkeg0" Nctx {" o kpwl|x"nkuvgej" vtcx. jncxp "tqf "Dactylis, *Festuca*, *Holcus*, *Milium* c *Poa*0

Bílý Potok [1b]<"4:0XKK0/3;0XKK04227."3" **OV+0" gtpqwu/X"Rqpk [6]<"470XKK0/390XKK04229."3" **OV+0" Foj/vgem "o qm cf"RR":_3;0XK04225."3" **UY+."LR" **Harta [10]**<"340XK04228."4" **UY+."LR" J qtpf" Nw cp{"135_<"40XKK04227."5" .3" **UY+."LR" **Horní Pertoltice [14a]**<"30/470XKK04229."4" .3" **OV+=470XKK0/390XKK04229."6" **OV+0" Ogcptf{"Uo f2"RT"}49c_<"360XK04229."3" **UY+."O 0" Mníšek [28]<"4:0XK04227."3" **UY+."LR" **Plavy [36]**<"450XK04228."3" **UY+."LR" Tc-gnkp-v "Lk|gtm{"PRT"}62c_<"450XK04227."3" **UY+."LR" **Rejdice [41]**<"470XK04228."3" **UY+."LR"

*Cerodontha**Poemyza+ *phragmitidis* Pqycmqy umk."3;89

Ftwj|lg|p^ao " |"Gxtqr {"c"vcm²"| "Lcrqpumc 0" Nctx {"x{vx^a gl" -ktqmqw" o kpw" x"nkuvgej" *Phragmites australis*"

Ogcptf{"Uo f2"RT"}49d_<"3;0/530XK04227."3" .3" **OV+0

Cerodontha"**Poemyza*"**pygmaea*"* O gk gp."3:52+
J qnctvkm "ftwj."lgjqfl"nctx{ "vxq "nkuvqx2" o kp{"pc"vtcx^a ej0
Bukovec PR [2b]"70/420XK04225."3" "*R [T+0

Cerodontha"**Poemyza*"**pygmella*"* J gpfgn."3;53+
J qnctvkm "ftwj."lgjqfl"nctx{ "okpwl"pc"ftw|ej"tqf "Calamagrostis c Festuca)
Bílý Potok [1f]"370XK04229."3" "*UY+."O ="[1h]"330XK04229."4" "*UY+."O 0"Rcnk pfm"56d_<"340XK04229."3" "*UY+."O 0

Cerodontha"**Poemyza*"**spencerae* \nqdkp."3;;5
J qnctvkm "ftwj."p^a o |"Gxtqr{."Mc|cej uv^a pw^c"Ugxgtp"Cogtkm{0" Nctx{ "okpwl"pc"Agropyron repens)
Bílý Potok [1i]"330XK04229."3" "*UY+."O 0

Cerodontha"**Poemyza*"**zoernerii* Pq y cmq y umk."3;95
Uv gfqgxtqrum "ftwj."p^a o "rqw|g|"P o gme."Rqnunc"c"x" gum2"tgrwdmkeg"rqvxt|gp "fquwf"
rqw|g|"lkflp"ej" gej0" Nctx{ "okpwl"x"nkuvgej"Calamagrostis canescens, C. epigejos, C. arun-
dinacea c Phalaris arundinacea)

^rk "m"68_<"4:0XK04227."3" "*UY+."LR0

Cerodontha **Xenophytomyza*"**atronitens* * J gpfgn."3;42+
Gxtqrum "ftwj."lgjqfl"dkqnq i kg"lg"fquwf"pg|p^a o ^a."cng"rtcf r fqdp "okpwlg" x"nkuvgej"vtcx0
Bílý Potok [1a]"40XK04228."3" "*UY+."LR=" [1b]"50/380XK04227."3" "*OV+0" **Bulovka [3]**"30XK04227."3" "*UY+."LR0"
Horní Pertoltice [14a]"360XK04229."3" "*UY+."O 0

Cerodontha **Xenophytomyza*"**biseta* * J gpfgn."3;42+
J qnctvkm "ftwj."d flp "x"Gxtqr .cng"wx^a f p "vcm2" |"Lcrqpumc"c"Ugxgtp"Cogtkm{0" Dkqnq i kg"
ftwj w"lg"fquwf"pg|p^a o ^a."cng"rtcf r fqdp "okpwlg" x"nkuvgej"vtcx0
Bílý Potok [1b]"380XK0/70XK04227."3" "*OV+="430XK04228."3" "*UY+."LR=" [1c]"330XK04229."3:" .3" "*UY+."
O ="[1d]"370XK04229."5" .4" "*UY+."O ="[1i]"330XK04229."4" "*UY+."O 0" Hqlvgem "o qm cf"RR":<
3;0XK04225."3" "*UY+."LR0" **Hejnice [11a]**"350XK04229."7" .3" "*UY+."O ="[11b]"350XK04229."5" "*UY+."O ="
[11c]"350XK04229."7" "*UY+."O 0" Jqtp"Nr ep["J35_<"40XK04227."3" .3" "*UY+."LR0" **Horní Pertoltice [14a]**"
360XK04229."3" "*UY+."O 0" Lkpf kej qxum "o qm cf"RR" [17]"390XK04225."3" "*UY+."LR0" Mt^up"Uwf^pmc"]43_<
3;0XK04225."4" "*UY+."LR0" O gepft{"Uo f^2"RT"49c_<"360XK04229."9" .5" "*UY+."O ="[27d]"360X/360XK04229."
4" "*OV+="360XK04229."3" "*UY+."O 0" ^rk "m"68_<"4:0XK04227."3" .4" "*UY+."LR0

Cerodontha"**Xenophytomyza*"**venturii* Pq y cmq y umk."3;89
D flp "ftwj."p^a o |"Gxtqr{."cng"fquwf"pgrqvxt|gp "lkflp" Gxtqr{0" Dkqnq i kg"lg"fquwf"pg|p^a/
o ^a."cng"rtcf r fqdp "okpwlg" x"nkuvgej"vtcx0
Bílý Potok [1e]"340XK04229."3" "*UY+."O ="[1h]"330XK04229."8" "*UY+."O ="[1i]"330XK04229."5" "*UY+."
O 0" Mníšek [28]"460XK04225."3" "*UY+="4;0XK04227."3" .3" "*UY+."x-g"LR0" Qnf kej qx" x" J a Iej"]54c_<"460XK04225."
3" "*UY+."LR0" Q g-pfm"55_<"350XK04229."4" "*UY+."O 0" Rcnk pfm"56d_<"340XK04229."3" "*UY+."O 0" Raspenava
[39a]"530XK04226."3" "*UY+."LR0

Galiomyza galiihora *Urgpegt."3;8;+
J qnctvkm "ftwj."r xqfp "rqrucp "g"Ugxgtp"Cogtkm{ "c"rq|f lk"rqvxt|gp "vcm2" x" cf "|go"|"
Gxtqr{ "x gvp " T0" Nctx{ "okpwl"pc"Galium"ur r0
Rejdice [41]"520XK0/380XK04227."3" "*OV+0

Chromatomyia fuscula *\gvgtvfgv."3:5:+

J qnctmkem "ftwj."jqlp "tq|-¶ gp 0Nctx{"okpwl¶pc"vtcx^ej."|glo^pc"pc"Arrhenatherum elatius,
Phleum pratense."x gvp "qdkpkp."pcr 0"Avena sativa, *Hordeum vulgare* c *Secale cereale* 0
Bukovec PR [2b]<53|X|4225."3" *UY+."LR|[2c]<90X|04228."4" .5" *OV+=["2d"]<4:0XKK|04227."3" .3" *UY+."
 LR|"gtp^a"jqtct"RT"]6_<380XZ|0/70Z|04226."7" .33" *OV+=Harta [10]<340X|04228."3" *UY+."LR|Lgfqnx "f ¶"
PR [16]<34|XKK|04227."3" *UY+."LR|Octk^pumq,jqtum^2"dqwf {"]48,<450XKK|04228."4" .4" *N+.LR|Q g-pfm"
 [33]<35|X|04229."3" *UY+."O 0Renk pfm"]56d_<34|X|04229."3" *UY+."O 0Plavy [36]<450X|04228."3" *UY+."
 LR|Tc-gpkp-v "Lk|gtm["PRT"]62d_<4:0XKK|0/390XKK|04227."5" .6" *OV+=["39|XKK|0/30XZ|04227."3" *OV+=U o tm"
 [45a]<450XZ|04227."3" .3" *UY+."LR|=40/430X|04228."3" .3" *OV+=430X|0/35|XKK|04228."3" .3" *OV+=U Kyselky
 [50]<42|X|0/350XKK|04228."3" *OV+=350XKK|0/50XKK|04228."7" .39" *OV=

Chromatomyia horticola *I qwtgcw."3:73+

Rqn{h^a ip¶ftwj"tq|-¶ gp "x"rcngctmkem^2."chtqvtqrkem^2"cqtkgpv^a np¶qdncuvk0"J qukvgnm^2"tquvnkp{"luqw^|p^a o {"|56" gngf¶e^2xpcv ej "tquvnkp0

Jizerka [18b]<380X|04229."3" *UY+."O 0Ogcpft{"U o f^2"RT"]49f_<36|X|04229."3" *UY+."O 0[U o tm"]67c_<
 43|X|0/350XKK|04228."4" .3" *OV+=350XKK|0/50XKK|04228."8" .4" *OV+=U Kyselky [50]<350XKK|0/50XKK|04228."
 3" .3" *OV=

Chromatomyia isicae"*J gtpk.i."3:84+

Ftwj|rqrucp "Tcmqwumc."tq|-¶ gp "xg"uv gfp¶c"ugxgtp¶Gxtqr 0Dkqnq jkg"lg"fquwf"pg|p^a/
 o ^a0

Harta [10]<34|X|04228."4" .3" *UY+."LR|Horní Polubný [15]<3|X|04228."3" *UY+."LR|Rejdice [41]<
 47|X|04227."3" *UY+."LR|

*Chromatomyia milii**Mcngpdcej."3:86+

Ftwj"u"j qnctmkem o "tq|-¶ gp 0o 0Nctx{"okpwl¶pc"vtcx^ej."|glo^pc"tqf "Hierochloe."Hor-
 deum, *Milium*"cPoa.

Bílý Potok [1b]<50/38|X|04227."3" *OV+=43|X|04228."3" .3" *UY+."LR|Bukovec PR [2a]<3|X|04227."32" .
 5" *OV+=["2b"]<44|X|04227."34" *UY+."LR|J qtp¶ gtp^a"Uwf pkeg"]34_<450X|04228."4" *UY+."LR|Horní
 Pertoltice [14a]<3|/470XKK|04229."3" *OV+=Lgfqnx "f ¶"RT"]38_<34|X|04227."3" *UY+."LR|Jizerka [18b]<3|/440
 X|04228."4" .6" *UY+."LR|Rcnk pfm"]56c_<34|X|04229."5" *UY+."O 0Plavy [36]<450X|04228."3" *UY+."
 LR|Tc-gpkp-v "Lk|gtm["PRT"]62c_<450X|04227."3" .5" *UY+."LR|Rejdice [41]<4:0XKK|0/38|XKK|04227."3" *GV+=
 "Rk am"]68_<4:0X|04227."8" .5" *UY+."LR|

Chromatomyia nigra"*Ogkigp."3:52+

J qnctmkem "ftwj|0Nctx{"okpwl¶pc"vtcx^ej0

Jizerka [18b]<3|/440X|04228."3" .4" *UY+."LR|=38|X|04229."4" *UY+."O 0Ogcpft{"U o f^2"RT"]49c_<
 36|X|04229."3" *UY+."O 0Qnf kejqx"X" J ^lej"]54c_<46|X|04225."3" *UY+."LR|

Chromatomyia pseudomilii I tkhLvju."3:;2

J qnctmkem "ftwj."tq|-¶ gp "vcm^2" xg"uv gfp¶Gxtqr 0X" gum^2"tgrwdnkeg"lg|p^a o "fquwf"lgp"
 |" gej<Dncpum "ngu" * gtp "("X^a nc"3| ; 8+0|Nctx{"x{vx^a gl¶nkuvqx^2"okp{"pc"vtcx^ej"c"ftw¶ej"
 tqfw"Carex.

Bukovec PR [2b]<44|X|04227."4" *UY+."LR|J qtp¶Nw cp{"]35_<4|X|04227."7" *UY+."LR|Lgfqnx "f ¶"RT"
 [16]<52|X|/38|X|04227."3" *OV+=Rejdice [41]<47|X|04227."3" *UY+."LR|

Chromatomyia rhaetica"I tkhLvju."3:;2

Uv fgqxtqrum "ftwj|p^a o "glo^pc"|"jqtum ej"qdncuv¶."x" gum^2"tgrwdnkeg"lg"rqvxt|gp "fquwf"
 lgp"|"g¶w o cx{"* gtp "("X^a nc"4227+0|Dkqnq jkg"ftwj w"lg"fquwf"pg|p^a o ^a0

Bukovec PR [2b]<44|X|04227."3" *UY+."LR|

Chromatomyia styriaca I tkhLvju."3;:2
Gxtqrum "ftwj"tq|-¶ gp "xg"uv gfp¶"Gxtqr ."|p^a o "vcm²"|"Hkpumc"c"Nkvx{0"DKqñqikg"ftwjw"lg"
fquwf"pg|p^a o^a
Harta [10]<340X4228."3" *UY+."LR"Ogepf t{"Uo f²"RT"]49f_<:0KZ4226."3" *UY+."LR"Rejdice [41]<470X4228."
3" *UY+."LR"

Liriomyza amoena *Ogkigp."3:52+
Gxtqrum "ftwj."lgjqfl"nctx{"okpw!x"nkuvgej"Sambucus ebulus, S. nigra c S. racemosa.
Horní Pertoltice [14a]<30/470XKK4229."3" *OV+=470XKK4229."7" *OV+0"Te-gakpk-v Lk|gtm{"PRT"
[40a]<450X4227."3" *UY+."LR"

Liriomyza artemisicola fg"Ogkltg."3;46
Ftwj"tq|-¶ gp "x"Gxtqr ."|p^a o "vcm²"|"¶p{."Ugxgtp¶"Mqtglg."Lcrqpumc"c"Kpfkg"nctx{"vxq ¶"
mt^avmqw"c"-ktqmqw"okpw"pc"Artemisia vulgaris"c"fcn-¶ej"ftw|¶ej"tqfw"Artemisia
Horní Pertoltice [14a]<470XKK4229."4" *OV+0"Ogepf t{"Uo f²"RT"]49f_<360X4229."4" *UY+."
O =360X4229."3" *OV+=30/470XKK4229."6" *OV+0"Tišina [49c]<340X4229."3" *UY+."O 0

*Liriomyza bryoniae**Mcngpdcej."3:7:+
J qnctmvkem "rqn{h^aip¶"ftwj."lgjqfl"nctx{"vxq ¶"mt^avm²"pgrtcxkfgnp²"okp{"x"nkuvgej"opqjc"
gngf¶"tquvnkp!"
Ogepf t{"Uo f²"RT"]49f_<30/470XKK4229."6" .3" *OV+0

Liriomyza buhri J gtkpi."3;59"
B!
Gxtqrum "ftwj."x" T"fqunwf" |p^a o "lgp"|"Oqtcx{0"nctx{"vxq ¶"d nctxw"okpw"pc"uvqpmw"Cam-
panula"ur r"vcm²"Phyteuma spicatum"c"Jasione ur r"
Bíly Potok [1b]<50/380X4227."3" .3" *OV+0"Ogepf t{"Uo f²"RT"]49f_<30/470XKK4229."3" *OV+0

Liriomyza congesta *Dgemgt."3;25+
Rcngrctmvkem "ftwj"tq|-¶ gp "x"Gxtqr ."cng"rqvxt|gp "vcm²"|g"Ugxgtp¶"Mqtglg"nctx{"vxq ¶"
r qo tp "fnqwj²c"À|m²ejqfdk m{pc"Artemisia vulgaris"
Bíly Potok [1c]<330X4229."3" *UY+."O 0**Horní Pertoltice [14a]**<360X4229."3" *UY+."O =360X4229."3" *OV+0

Liriomyza demejerei J gtkpi."3;52
Rcngrctmvkem "ftwj"xgnkeg"jqlp "tq|-¶ gp "x"Gxtqr ."|p^a o "vcm²"|"Vwtgemc."cuklum² auvk"Twu/
mc*x gvp "Mwtknum ej"quvtqx +"W|dgmku^apw."Lcrqpumc"c"Kpfkg"nctx{"okpw!x"nkuvgej"vtcx"
opqjc"tqf ".jncxp "Bromus ur r, Dactylis ur r, Holcus ur r, Poa ur r, cng"vcm²"Avena sativa
c Hordeum vulgare
Bíly Potok [1a]<530X4226."3" *UY+."LR"=40X4228."32" *UY+."LR"=[1b]<50/380X4227."4" *OV+=4;0XKK4227."3" 0
XKK4227."6" .5" *OV+=430X4228."3" *UY+."LR"=[1f]<370X4229."5" *UY+."O =[1h]<330X4229."6" "
*UY+."O =[1i]<330X4229."3" *UY+."O 0**Bukovec PR [2a]**<3:0X4227."5" .35" *UY+."LR"=[2b]<70/420
XKK4225."3" *R [T+=440X4227."6" .7" *UY+=430X4228."3" .5" *UY+."x-g"LR"=[2d]<30X4225."3" "

*U Y+,"LR"**[2e]**"<330XKK0/360KZ04227."3" *RV+**"Bulovka** [3]<30X04227."3" *U Y+,"LR"**"Frýdlant** [9]<440X04228."9" .
;" *U Y+,"LR"**"Harta** [10]<340X04228."3" .".3" *U Y+,"LR"**J qtp"** gtp^a"Uvwfpkeg"34,<450X04228."7" .".5" "
*U Y+,"LR"**J qtp"**^bNw cp{**"[35]**,<40XKK04227."4" .".5" *U Y+,"LR"**"Horní Pertoltice** [14b]<30X04227."3" *U Y+,"
LR"**"Horní Polubný** [15]<3:<0X04228."3" *U Y+,"LR"**Lg fnqx**"f n"RT"**[38]**<3:<0/520X04227."3" *O V+**"Jizerka** [18b]<
4;<0XKK04226."3" .".4" *U Y+;=3:<0/440X04228."3" *U Y+ x-g"LR" Mq gpqx"**[42]**<3:<0X04228."9" .".4" *U Y+,"
LR"**Mtukv kpxq"****[44]**<40KZ04228."3" *U Y+,"LR"**O cñ**"Uvtcp"RT"**[47]**<40XKK04227.":." .".5" *U Y+,"LR"**"Meandry**
U o f"RT"**[49c]**<440X04227."3" *U Y+;=0X04228."4" .".5" *U Y+ x-g"LR" Mníšek [28]<4:<0X04227."8" .".
6" *U Y+,"LR"**Qnf ke jqx"J** l[sej]"**[54e]**<50KZ04226."3" *U Y+,"LR"**Q g-p[m]"55**<350X04229."3" *U Y+,"O 0"
Renk p[m]"**[56c]**<340X04229."3" *U Y+,"O =[**[34b]**]<340X04229."4" *U Y+,"O "Plavy [36]<450X04228."9" .".
5" *U Y+,"LR"**Raspenava** [39b]<330X04228."7" .".6" *U Y+,"LR"**Tc-gakpk-v**"Lk|gtm["PRT"]**[62c]**<450X04227."
4" .".5" *U Y+,"LR"**[40b]**<380X0/50XKK04227."3" *O V+**[39]XKK0/30KZ04227.3" *O V+**"Rejdice** [41]<470X04227."
35" .".4" *U Y+,"LR"**[38]X0/70KZ04227.3" *G V+=7/0/4:<0X04227."4" *G V+=470X04228."39" .".9" *U Y+,"LR"
Umngpc keg"**[66e]**,<OKZ04226."3" *U Y+,"LR"**U o tm"****[67c]**<40/430X04228."4" *G V+=430X0/350X04228."3" *O V+=
5/460XKK04228."3" *O V+**"rm k" m"****[68]**<4:<0X04227."4" .".5" *U Y+;=7/KZ04228."3" *U Y+ x-g"LR" X encxfmqxc"
Uwfp"**pmc** [51]<3:<0X04228."4" .".5" *U Y+,"LR)****

Liriomyza hampsteadensis Urg. pegt. "3; 93

Gxtqrum "ftwj."|p^ao "rqw|g|"Cpinkg."Dgnikg." gum²"tgrwdnkm{* gej{+.P o gemc"c"Nkvx {0" Dkqnq ikg"ftwjw"lg"fqquwf"pg|p^ao^a0

Ocn^a"UvtcpC"RT"]47_<;0/450XKK04225."3" /* [RV+0

Liriomyza infuscata" J gtkpi."3;48

Rcngctmvkem "ftwj."|p^a o " |"Gxtqr {"Oqp i qnumc"e"euklum²" auvk"Twumc" Dkqnq i kg"ftwj w"lg" fquwf" pg|p^a o ".cng"rtctx r fqfdp "nctx {"o kpwl"pc"vtxa ej\0

Mníšek [28]<"4<:|X|4227."5" . "4" " " *U Y+ ."LR" **Rejdice** [41]<"47|X|4228."3" " *U Y+ ."LR" \ncv^a"Qng-pkleg"]74c_<5|X|4226."3" " *U Y+ ."LR"

Liriomyza lutea *Ogk igp."3:52+

Rcnqgctmwkem "ftwj." | p^a o | "Gxtqr { "c" vcm² " | ¶ p{⁰} J qukvgnm² tqvvnk{ "luqw" *Angelica sylvestris*. " *Heracleum sphondylium*" c " *Pastinaca sativa*. " cng" vcm² " *Laserpitium urrorum* Nctx { " o kpwl¶ x" lgfpqvnkx ej " ug o gpge j0

Jqtp["Nw cp{"]35_<"40XKKK04227."3" "*UY+."LR0

Liriomyza orbona *Ogk i gp."3:52+

Rcngctmvkem "ftwj0"Drqnpqikg "lg" fquwf "pg | p^a o^a ."cng" rtxcf r qfqdp "nctx{ " o kpwl" pc" vtcx^a ej0
Harta [10] "340X04228."4" **UY+,"LR)

Liriomyza ptarmicae fg "Ogkltg." 3; 47

J qnctmvkem " ftwj" | p^a o " | " Gxtqr {." Lcrqpmc" Ugxgtp" Cogtkm{ "Nctx { " x { vx^a gl" A | mqw" ejqfdk mqxkvqw" o kpw" x " nkuvgej "Achillea millefolium" c" A" ptarmica)

Bílý Potok [1a]<"40X\04228."3" "*UY+."LR=[1c]<"330X\04229."4" "*UY+."O 0" **Bulovka** [3]<"30X\04227."3" "*UY+."LR[1]Jqtp["Nw cp["]35<"40X\04227."3" "*UY+."LR[0]Oen a"Uvtcpc"RT]"47<"0/450X\04225."4" "*OV+0" **Meandry** U o f²"RT]"49c<"360X\04229."4" "*UY+."O =[27d]<"360X\04229."3" "*UY+."O 0" **U Kyselky** [50]<"3;0X\04228."3" "*UY+."LR[0]

Liriomyza puella *Ogkigp."3:52+""

"B!

Gxtqrum "ftwj." | "T'd{"n"fqquwf"rqvxt|gp "lgp"|"Oqtctx{{"Nctx{" o kpwl" x"nkuvgej" *Lapsana communis*"c" *Prenanthes purpurea*"}

Bílý Potok [1c]<"33|X|0|4229."4" "*UY+."O = [1e]<34|X|0|4229."4" "*UY+."O = [1i]<33|X|0|4229."3" "*UY+."O 0 "Ogpcgft["Uo f²"RT"]49c<"36|X|0|4229."4" "*UY+."O 0

Liriomyza pusilla *Ogkigp."3:52+

Rcngctmkem "ftwj 0" Nctx{ "okpwlf" x"nkuvgej "Bellis ur r0." o^2p " cuvq"pc"Aster"ur r0" c"Solidago ur r0

Bíly Potok [1b]<380XK0/70XKK04227."4" **OV+=70/4;0XKK04227."5" .3" **OV+=4;0XKK0/3;0XKK04227."6" .3" " *OV+=3;0XKK0/60Z04227.:" " *OV+0" **Frýdlant [9]**<440X04228."3" **UY+.LR" J qtpf" Nw cp{ "J35_<40XKK04227."3" " *UY+.LR" **Horní Pertoltice [14a]**<30/470XKK04229."3" **OV+0" Qnf ke jqx'x" J ^lfej"]54e_<490X04226."3" **UY+.LR" \ncv" Qig-pkeg"]74c_<50XK04226."3" **UY+.LR"

Liriomyza richteri J gtpki."3:49

Rcngctmkem "ftwj 0" Dkqnq ikg"lg" fquwf"pg|p^a o^a 0"

Bíly Potok [1b]<70/4;0XKK04227."3" **OV+0" **Bukovec PR [2b]**<420XKK0/400Z04225."4" **EHV+0" gtp^a"lg|tmc"RT" [5]<340XKK04225."3" **UY+.LR" Ogcptf{ "Uo f^2"RT"]49d_<3;0/530X04227."3" **OV+0" Rcnk p^m"]56c_<340XK04229."3" " *UY+.O 0" Tc-glpk-v "Lk|gtm{"PRT"}]62d_<380XK0/50XKK04227."4" **OV+=4;0XKK0/390XKK04227."3" " *|RV+0" U o tm"]67c_<40/430XK04228."4" .5" **OV+=350XKK0/50XKK04228."3" **OV+=50/460XKK04228."5" .4" **OV+0" Tm"]68c_<4;0XK04227."3" **UY+.LR" **U Kyselky [50]**<350XKK0/50XKK04228."3" .3" **OV+0"

Liriomyza strigata *Ogkigp."3:52+

Rcngctmkem .rqn{h^a ip"ftwj."lgj qfl"nctx{ "okpwlf"pc"3:9" tqfgej"53" gng f"tquvnkp0

Bíly Potok [1b]<50/3;0X04227."3" **OV+=50/380XK04227."5" **OV+=4;0XKK0/3;0XKK04227."4" **OV+0" **Horní Pertoltice [14a]**<360XK04229."3" **UY+.O 0" Qnf ke jqx'x" J ^lfej"]54d_<490X04226."3" **UY+.LR"

Liriomyza tanaceti fg"Ogklgjt."3:46"

"CZ!

X ejqfqrcngctmkem "ftwj" |p^a o " |" Gxtqr{ "c" vcm^2" Mcp^a tum ej" quvtqx 0" Nctx{ "" okpwlf" x" nku/ vgej "Tanacetum vulgare"

Ogcptf{ "Uo f^2"RT"]49f_<360X0/360XK04229."3" **OV+=30/470XKK04229."4" **OV+0"

Liriomyza taraxaci J gtpki."3:49

J qnctmkem "ftwj" tq|- gp "x" Gxtqr "c" Ugxgtpf" C ogtkeg0" Nctx{ "x{vx^a gl" pg r t cxkf gnpqw" rnq-pqw" okpw" x" nkuvgej "Taraxacum ur r0

Bíly Potok [1b]<380XK0/70XKK04227."4" .3" **OV+0" Ocr^a" Ut cpc"RT"]47_<;0/450XKK04225."3" **OV+0"

Liriomyza taurica \nqdkp."4225"

B!

Ftwj" rqrucp " |" Wmtclkp{ ."x" gum^2" tgrwdnkeg" fquwf" |p^a o " lgp" |" P^a tqfpf" j q" rctmw" Rqf{ l" * gtp "gv" cn0" 4228c+0" Dkqnq ikg" ftwjw" lg" fquwf" pg|p^a o^a 0"

Bíly Potok [1b]<50/380XK04227."3" .4" **OV+=3;0XKK0/60Z04227."5" .3" **OV+0"

Liriomyza virgo *\gvgutwgfv."3:5:+

Gxtqrum "ftwj" fquwf" pg r qvxt|gp " |" kflp" Gxtqr { 0" Nctx{ "okpwlf" xg" uvqpmw" Gswkugvw o " t w x k c v k n g c" quvcvpf ej" ftwj " t qfw" Equisetum0

Bíly Potok [1a]<530X04226."3" **UY+.LR" J qtpf" Nw cp{ "J35_<40XKK04227."9" .6" **UY+.LR" **Horní Polubný [15]**<3;0XK04228."3" **UY+.LR" Nw cp{ "pc f" Pkuqw [24]<390XK04225."3" **UY+.LR"

Liriomyza wachtlii J gpfgn."3:42"

"CZ!

Gxtqrum "j qtm "ftwj 0" Nctx{ "okpwlf" x" nkuvgej "Veratrum album c V. nigrum.

Bukovec PR [2b]<380XK04229."O .nctx{ "x" okp^a ej" pc" Veratrum album ur r0" lobelianum."x ngv"ko^a ic" 390X04222.:."3" 0

Melanagromyza aeneoventris *Hcm²p."3:45+
Ftwj" d flp " | p^a o " | "Gxtqr{." rqvxt|gp "vcm²" | "cuklum²" auvk"Twumc."Lcrqpmc" c"R^amkuv^apw⁰"
Nctx{"x{vx^a gl" ejqfdk m{"wxpkv "uvqpmw" *Cirsium urrō*, *Carduus urrō*"c"*Inula urrō*
Hqlvgem " o qm c f"RR"]6:<_<3;0XK04225."3" "*UY+. "LR" Ocn"Uvtcp"RT"]47<60XK04226."3" "*UY+. "LR" Mníšek
[28]<46|X04225."3" .3" "*UY+. "LR" Vkej a" | mc"RR"]6:_<47|XK04226."3" "*OV+

Melanagromyza artemisiae Urgpegt."3;79

Rqw|g"rwdkmqxcp²Áfcfg<Vkej a" | mc"RR"]6:_* gtp "gv"cm"4228d+0
Ftwj"fquwf" | p^a o "rqw|g" | T."Nkvx{."P o gemc" c" Lcrqpmc" Nctx{ " o kpwl" xg"uvqpmw" *Artemisia vulgaris*0

Melanagromyza oligophaga Urgpegt."3; ;2

Gxtqrum "ftwj" Nctx{ " o kpwl" xg"uvqpmw" *Achillea millefolium*, *Artemisia vulgaris*, *Crepis biennis*, *Hieracium umbellatum* c *Picris hieracioides*.

Jizerka [18b]<3:0XK04227."3" "*UY+. "LR" Rejdice [41]"3;0/52|X04227."3" "*GV+0" Tišina [49a]<34|XK04229."3" "*UY+. "O 0

Melanagromyza pubescens Jgpfgn."3:45

Rcngctmvkem "ftwj" Dkqnqikg"lg"fquwf"pg|p^a o^a0

Bílý Potok [1a]<33|XK04229."3" "*UY+. "O 0" Ocpft{"Uo f"RT [27d]<36|XK04229."3" "*UY+. "O 0

Melanagromyza tripolii Urgpegt."3;79

Gxtqrum "ftwj" rqrucp "rqfn"gzgo rn^a "x{ejqxcp ej" | "Aster tripolium" \ "lkp ej"ftwj "tqfw"Aster pgp"fquwf" | p^a o^a0

Bílý Potok [1e]<34|XK04229."3" "*UY+. "O 0" Bukovec PR [2d]<38|XK04229."3" "*UY+. "O 0" Horní Pertoltice [14a]<36|XK0/30|XK04229."3" "*OV+0" Raspenava [39a]<53|X04226."3" "*UY+. "LR" Uo tm"]67c<43|XK0/35|XK04228."3" .3" "*OV+

Ogvqrqo{/c"lcxqpvvcv *Jcnkfc{."3:55+

Rcngctmvkem "ftwj" Dkqnqikg"lg"fquwf"pg|p^a o^a ."cng"nctx{ "rtcxr rqfqdp "okpwl"pc"vtcx^aej0

Bílý Potok [1b]<50/38|XK04227."3" "*OV+= "[1g]<37|XK04229."3" "*UY+. "O 0" Tišina [49a]<34|XK04229."4" "*UY+. "O 0

Metopomyza interfrontalis *Ogncpfgt."3;35+

Jqncitmukem "ftwj."d flp "tq|-¶ gp "x"Gxtqr 0" Jquvkvgnmqw" tquvnkpqw" luqw" ftwj { "tqfw"

Carex.

Horní Pertoltice [14a]<36|XK04229."3" "*UY+. "O 0

*Metopomyza xanthaspoides**Htg{."3;68+

Gxtqrum "ftwj."lgjql"dkqnqikg"lg"fquwf"pg|p^a o^a0

Bílý Potok [1b]<50/38|XK04227."3" "*OV+= "43|XK04228."3" "*UY+. "O 0

Metopomyza xanthaspis *Nqgy."3:7:+

Rcngctmvkem "ftwj."d flp " | p^a o " | "Gxtqr {0" Nctx{ " o kpwl" x"nkuvgej"tqfw" Carex0

Bílý Potok [1c]<33|XK04229."3" "*UY+. "O 0

Napomyza achilleanella xqp"Vue jktpj cwu."3; ;4

Rwdnkmqxcp"ÀfcIg<"Qnf kejqx" x" J "Iej"]54c_-* gtp "gv" cn" 4228d+0

Rcngctmkem "ftwj" | p^a o " | Gxtqr { "c" rqvxt | gp "vcm²" | Mktik | uv^a pw⁰ Nctx { " o kpwl" "x" nkuvgej " Achillea ur r0

Bíly Potok [1a]<40XK04228."3" *OV+."LR"

Napomyza bellidis I tkhLju."3; 89""

B!

Rcngctmkem "ftwj" | p^a o " | cf { " | go" "Gxtqr { .C | qtum ej "quvtqx .Mktik | uv^a pw" c" W | dgmkuv^a pw⁰ Nctx { " o kpwl" "pc" *Bellis perennis*.

U Kyselky [50]<420XK0/350XKK04228."3" *OV+0

Napomyza lateralis *Hcn²p."3: 45+

Rcngctmkem "ftwj" d flp "tq" | gp "x" Gxtqr . | p^a o "vcm²" | " | p{.K| tcng."Mc | cej uv^a pw."Mktik | uv^a / pw."Vwtgemc."W | dgmkuv^a pw" c" Lcrqpmcl" Nctx { " o kpwl" "x" nkuvgej "Cuygtcecg."jncxp "tqf "Anthemis, Bidens, Calendula, Carduus, Centaurea, Helichrysum, Inula, Lactuca, Matricaria, Silybum

Bíly Potok [1b]<50/380XK04227."3" .4" *OV+0" **Bukovec PR [2b]**<380XK04229."3" *UY+.O "Jizerka [18a]< :0XKK04225."3" *UY+."LR" Ogcptf { "Uo f" RT"]49f _<30/470XKK04229."3" .3" *OV+0" Tc-gukpk-v "Lk| gtm{ "PRT" [40b]<380XK0/50XKK04227."3" *OV+0

Napomyza maritima xqp"Vue jktpj cwu."3; ;3""

B!

Rcngctmkem "ftwj" | p^a o " | Gxtqr { "c" vcm²" | "Mc | cej uv^a pw."Twumc" c" W | dgmkuv^a pw⁰ "X" gum²" tg rwdnkeg"lg"fquwf" | p^a o "rqw| g" | "Oqtcx { <"PR" Rqf { l" * gtp "gv" cn" 4228c+0" Dkqnqikg"ftwjw"lg"fquwf"pg | p^a o "0" pc" *Artemisia maritima*.cng"rtcf r qfqdp "k"fcn- ej"ftw| ej"tqfw" *Artemisia*"

Jizerka [18a]<4;0XK04228."3" *UY+."LR"

Napomyza merita \ nqdkp."3; ;5"

B!

Ftwj" | p^a o "x" Gxtqr " | Hkpumc. "Tm" x² fumc. "Twumc" c" gemc. "x" gum² tgrwdnkeg"lg"fquwf" | p^a o " rqw| g" | "Oqtcx { <"PR" Rqf { l" * gtp "gv" cn" 4228c+0" Dkqnqikg"ftwjw"lg"fquwf"pg | p^a o "0"

Rejdice [41]<380XK0/70XKK04227."5" *OV+=70/4:0XKK04227."5" *OV+=4:0XKK0/380XKK04227."3" *OV+0

Napomyza nigriceps"xcp"fgt"Ywnr."3:93

Gxtqrum "ftwj" Dkqnqikg"lg"fquwf"pg | p^a o "0

Rejdice [41]<3;0/520XK04227."4" *OV+0

Ophiomyia bohemica gtp ."3; ;6

Gxtqrum "ftwj." | p^a o "fqwf" | " T."Nkvx { "c" Rqnumc" Dkqnqikg"lg"fqwf"pg | p^a o "0

Oci" "Uvtepc" RT"]47<;0/450XKK04225."3" *OV+0

Ophiomyia cunctata *J gpfgn."3;42+

X ejqfqrcngctmkem "ftwj" | p^a o " | Gxtqr { ."Mcp^a tum ej "quvtqx "c" Vwtgemc" Nctx { " o kpwl" "x" nkuvgej "tqf " Crepis, Hypochoeris, Lapsana, Mycelis, Picris, Sonchus" c" Taraxacum

Horní Pertoltice [14a]<30/470XK04229."4" *OV+0

Ophiomyia galii" J gtpi."3;59

Gxtqrum "ftwj" Nctx { " o kpwl" "pc" *Galium mollugo*" c G. verum

Bukovec PR [2b]<70/420XKK04225."5" *R [T+0" **Horní Pertoltice [14a]**<470XK0/390XKK04229."3" *OV+0

Ophiomyia heracleivora Urgpegt."3;79

Gxtqr "ftwj" Nctx { "vxq ¶ ejqfdk m { "wxpkv "uvqpmw" *Heracleum sphondylium* }

Vkej " ¶ mc"RR"]6: _<"47|XK04226."4" .3" *OV+

Ophiomyia labiatarum J gtpi."3;59

J qnctmvkem "ftwj" |p^a o "x" Gxtqr . "K|tcgnk" c"Ugxgtp¶" C o gtkeg¶" Nctx { " o kpwl¶" pc"uvqpmw" *Staej* { u"u{nxcvkec. "U0" rcnwvuku. "U0" tgevc. "Dgvqpkc" qhLekpcnku. "Nc o kw o" cndwo. "N0" i cngqdfqnpqp. "L. maculaum, Calamintha clinopodium, Galeopsis ur r

Mt"up" "Uwf" pmc"J43_<"3;0XK04225."3" *UY+. "LR" Ocn" "Uvtcp"RT"]47_<;0/450XKK04225."3" *OV+=40/490KZ04225."4" * [RV+0"Qnf kej qxum" ug fñq [31]->"40/3;0KZ04225."3" * [RV+0"Rejdice [41]_<"470X04227."3" *UY+. "LR" Rybf nqw m{"RT"]65_<"40/490KZ04225."3" * [RV+0"Vkej " ¶ mc"RR"]6: _<"47|XK04226."3" *OV+

Ophiomyia melandrica J gtpi."3;65

Gxtqr "ftwj" Nctx { " o kpwl¶" xg"uvqpmw" *Melandrium* ur r" c" *Moehringia* ur r

Bílý Potok [1b]<"70/4;0XK04227."3" *OV+0"Rejdice [41]<"470X04227."3" .3" *UY+. "LR"

Ophiomyia nasuta *Ogncpfgt."3;35+

J qnctmvkem "ftwj" d flp "x" Gxtqr . |p^a o "k" x"Ugxgtp¶" C o gtkeg" c" Lcrqpmw" Nctx { " o kpwl¶" x"nkuvgej" tqfw" *Taraxacum* }

Ogcptf{"Uo f2"RT"]49d_<"3;0/53|X04227."3" * [RV+. "4" *OV+0"Qnf kej qx" x" J a" ej"]54c_<"46|X04225."3" *UY+. "LR")

Ophiomyia orbiculata *J gpfgn."3;53+

Rcnctmvkem "ftwj. |p^a o " |" Gxtqr { ."Vwtgemc" c" W | dgmkuv" pw" Nctx { " o kpwl¶" pc"uvqpmw" *Pisum sativum* " c" vcm"2" *Vicia* ur r

Bílý Potok [1b]"4;0XKK0/3;0XKK04227."3" *OV+0" Hqlvgem " o qm cf"RR"]:_<"3;0XK04225."3" *UY+. "LR" Horní Pertoltice [14a]"30/470XKK04229."3" *OV+0" Ocn" "Uvtcp"RT"]47_<"70/420XKK04225."3" *OV+

Ophiomyia pulicaria *Ogkigp."3;52+

Ftwj" d flp "tq" |- gp "x" Gxtqr . |p^a o "vcm"2" |" Vwtgemc. ¶ p{. "Lcrqpmc. "Mcp" tum ej" quvtqx . "Mgpk" c" Mquvckm { " Nctx { " o kpwl¶" x" nkuvgej" tqf " Crepis. " Hieracium. " Hypochoeris. " Leontodon. " Picris. " Sonchus" c" Taraxacum" *Cvgtcecgç +

Ocn" "Uvtcp"RT"]47_<;0/450XKK04225."3" *OV+=450XKK0/70XKK04225."3" *OV+

Ophiomyia vimmeri gtp .3; ;6

X ejqfqrcnctmvkem "ftwj. |p^a o " fquwf" |" Cpfqft { . " gum"2" tg rwdnkm { ." Htcpekg. " Octqmc. " Tmrcp numc" c" Tmx ectumcl" Dkqnqikg" lg" fquwf" pg |p^a o " a

gtpqwu{/X"Rqnl" }8_<"470XKK0/390XKK04229."3" *OV+0" Ocn" "Uvtcp"RT"]47_<"40/490KZ04225."3" *EHV+0" Vkej " ¶ mc"RR"]6: _<"470XK0/360XKK04226."3" *OV+

Phytobia mallochi *J gpfgn."3;46+

Gxtqr "ftwj" Nctx { "xtvcl" x" mc o dkw" fwd " Quercus ur r

Horní Pertoltice [14a]"36|XK0/30|XKK04229."4" *OV+

Phytoliriomyza melampyga *Nqgy."3;8;+

J qnctmvkem "ftwj" |p^a o " |g" uv gfp¶" c" uxgntp¶" Gxtqr { . " rqvxt | gp " vcm"2" | g" Ugxgtp¶" C o gtm { " c" kpfkg0" Nctx { " o kpwl¶" pc" ftw | ej" tqfw" Impatiens. | glo 2pc" pc" I. noli-tangere" c" K0" rctxkłqtc0

Raspenava [39b]<"33|XK04228."3" *UY+. "LR")

Phytoliriomyza perpusilla *Ogkigp."3:52+
Ftwj"tq|~¶ gp "x" | " rcfp|o"rcngctmwv"c"chtqvtqrkem"qdmcuvk\|Dkqnq ikg"lg"fquwf"pg|p^a o "Nctx{ "
rtctxf rqfqdp "okpw\|pc"Cuvgtcegceg\|
Tc-gnkp\|v "Lk|gtm{"PRT"}62d_<4:0XKK0/390XKK04227."3" "*OV+0

Phytomyza albiceps Ogkigp."3:52
Rcnngctmvkem "ftwj"tq|~¶ gp "x"Gxtqr "c" |p^a o "k" | "Mc|cejuv^apw"c" Lcrqpu\|Nctxc" okpwlg"
x"nkuvgej "*Cirsium heterophyllum*"

Bukovec PR [2b]:440XK04227."3" .3" "*UY+."LR\|Horní Polubný [15]<3;0XK04228."3" "*UY+."LR\|Jizerka [18b]\|
4;0XKK04226."3" "*UY+."LR\|Rejdice [41]<470XK04228."3" "*UY+."LR\|Vkej a" ¶ mc"RR\|6: _<470XK04226."3" "*OV+
360/4;0XKK04226."3" .3" "*OV+4;0XKK0/380KZ04226."3" .3" "* [RV+0

Phytomyza albipennis Hcmn²p."3:45
Rcnngctmvkem "ftwj" |p^a o " |" Gxtqr { ."Mcp^atum ej"quvtqx "c"Ugxgtp\|Mqtglg\|Dkqnq ikg"ftwjw"
lg"fquwf"pg|p^a o a\|
Tc-gnkp\|v "Lk|gtm{"PRT"}62c<330/3:0X04225."3" "* [RV+0

Phytomyza alpina I tquejmg."3;79
J qtm "ftwj"tq|~¶ gp "x" |a rcfp\|c"uv gfp\|Gxtqr .x" T"fquwf" |p^a o "lgp" | " gej\|Nctx{ "
okpw\|x"nkuvgej "*Petasites*"urr\|c"Senecio urr\|
Oca"Uvtce\|RT"}47<450XK0/70XKK04225."3" "*OV+0

Phytomyza angelicae Mcn\|gpdcj."3:94
J qnctmvkem "ftwj"tq|~¶ gp "x"Gxtqr "c"Ugxgtp\|C o gkeg."rqvxt|gp "vcm²" | "Vwtgemc" c"Mc|cej /
uv^apw\|Nctx{ "okpw\|jncxp pc *Angelica sylvestris*. "A. archangelica, Laserpitium latifolium
c"Aegopodium podagraria".
U Kyselky [50]<420XK0/350XKK04228."4" "*OV+0

Phytomyza aurei J gtkpi."3;53
Ftwj"tq|~¶ gp "xg"uv gfp\|Gxtqr "c" Nqv{-umw\|Nctx{ "okpw\|x"nkuvgej "*Chaerophyllum aureum*."
cng" x\| um\{ vwl\|ug"vcm²pc "*Conium* urr\|
Rejdice [41]<470XK04227."3" "*OV+0

Phytomyza brischkei J gpfgn."3:44
Gxtqr\|Nctx{ "okpw\|x"nkuvgej "*Trifolium* urr\|. glo²pc *T. repens*, *T. pratense*, *T. fragiferum* c *T. alpinum*\|
Bukovec PR [2b]:70/420XKK04225."3" *R [T+0

Phytomyza buhriella Urgpegt."3;8;
Gxtqr\|Nctx{ "okpw\|x"nkuvgej "*Petasites*"urr\|c"Senecio urr\|
Bukovec PR [2d]:40/490KZ04225."3" * [RV+0

Phytomyza calthophila J gtkpi."3;53
Gxtqr\|Nctx{ "okpw\|x"nkuvgej "*Caltha palustris*\|
Hqlvgem "o qm cf"RR\|: _<3;0XK04225."3" "*UY+."LR\|

Phytomyza chaerophylliana Jgtkpi."3;53

Ftwj"tq|-gp "xg"uv gfp"Gxtqr "c"ugxgtp"Kv"nk0" Nctx {"okpw1"x"nkuvgej "Chaerophyllum ur r0"
Bukovec PR [2c]<90X04228."3" "*UY+."LR" Rejdice [41]<470X04227."6" .3" "*UY+."LR" \ ncv a" Qng-pkeg [52a]"
50X04226."3" "*UY+."LR"

Phytomyza cirsii" Jgpfgn."3;45

X ejqfqrcengctmkem "ftwj" |p a o "vcm2" | Gxtqr {"c"Vwtgemc" Nctx {"okpw1"x"nkuvgej "Cirsium
ur r0

Raspenava [39a]<530X04226."3" "*UY+."LR" Vkej a" | mc"RR"]6:<520X04226."4" "*OV+

Phytomyza continua Jgpfgn."3;42

Rengctmkem "ftwj" | Nctx {"okpw1"x"nkuvgej "Cirsium"ur r0" c"Carduus ur r0

Rejdice [41]<520X04227."4" .3" "*GV+

Phytomyza crassiseta \gvgtugfv."3:82

Ftwj"qdgep "tq|-gp "xGxtqr .rqvxt|gp "vcm2" | Mc o cvm{.Mwtknum ej" quvtqx ."Lcrqpmc.Ugxgtp" C o gtmk{ "okpw1"x"nkuvgej "Veronica ur r0

Bilý Potok [1c]<330X04229."7" "*UY+."O = [1e]<340X04229."3" "*UY+."O = [1j]<330X04229."3" "*UY+."O =

Bukovec PR [2c]<90X04228."3" "*UY+."LR" gtpqwu/{X Rqpk"j8<360X04229."3" *OV+ Horní Pertoltice [14a]"
360X04229."3" "*UY+."O = [360X04229."3" *OV+=30/470X04229."3" *OV+ Jizerka [18b]<380X04229."3" *UY+."O =
*OV+ O Ogcptf{"Uo f2"RT"]49f<360X04229."4" *OV+ Tišina [49c]<340X04229."3" "*UY+."O =

Phytomyza enigmoides Jgtkpi."3;59" CZ!

Gxtqrum "ftwj" | Dkqnqikg"lg" fquwf"pg | p a o a0

Bukovec PR [2c]<90X04228."3" "*UY+."LR"

Phytomyza evanescens" Jgpfgn."3;42

J qnctmkem "ftwj" | Nctx {"x"vx a gl" | "xp l-mw" pgxkfkvgmp2" okp {"xg"uvqpmw" Ranunculus ur r0".
rqvxt|gp2" | glo2pc"pc"R. acris" c"R0" lanuginosus"

Jizerka [18b]<3:0X04227."3" "*UY+."LR" Mníšek [28]<4:0X04227."3" "*UY+."LR"

Phytomyza fallaciosa Dtkuejmg."3:2

J qnctmkem "ftwj" | tq|-gp "jnexp "xGxtqr .pqx lk" rqvxt|gp "vcm2" | "Vwtgemc" c"Ugxgtp" Mqtglg.
Nctx {"okpw1"x"nkuvgej "Ranunculus ur r0." r gfgx- | o "R. repens, cng"vcm2 R. lingua

Bilý Potok [1i]<330X04229."3" "*UY+."O = Horní Pertoltice [14a]<360X04229."3" "*UY+."O = Klínový vrch
[19]<340X04229."3" "*UY+."O = Tišina [49b]<340X04229."3" "*UY+."O =

Phytomyza farfarae Jgpfgn."3;57

Rengctmkem "ftwj" | Nctx {"okpw1"x"nkuvgej "Petasites ur r0" c" Tussilago ur r0"

Bilý Potok [1b]<50/380X04227."3" *OV+

Ph/vqo //c" t cxkeqtpku Hcmn2p."3:45

J qnctmkem "ftwj" | d flp "tq|-gp "xGxtqr . | p a o "vcm2" | "Ocfgkt {."Vwtgemc" c"Ugxgtp" C o g/
tkm{ "Nctxc" okpw1" wxpky" uvqpmw" Urtica dioica"

Bukovec PR [2c]<90X04228."3" *OV+ Jizerka [18a]<4:0X04228."3" "*UY+."LR" M flqx xtej"RT"]49<530X04226."
3" "*UY+."LR" Ogcptf {"Uo f2"RT"]49d<60/3;0X04227."3" *OV+=3:0/530X04227."3" *OV+= [27d]<360X0/360
X04229."3" *OV+

Rj{vqo{/c"lcxqhg oqtcvc Uvtqdn."3:;5
Gxtqrum "ftwj0" Nctx{ "okpwl" x"ug o gpgej "Melampyrum ur r0"
Bukovec PR [2b]:320/480XK04225."4" **UY+."440XK04227."4" **UY+."x-g"LR] "Te-gukpk-v "Lk|gtm{"PRT"}62d_<
4:0XKK0/390XKK04227."3" **OV+

Phytomyza glechomae Mcvgpdcej."3:84
Rcngrctmykem "ftwj." |p^ao " |" Gxtqr{ "c" Lcrqpmc0" Nctx{ "okpwl" x"nkuvgej "Glechoma hederacea"
Ogcpft{Uo f2"RT"]49d_<6/3;0X04227."4" .3" **OV+

Phytomyza heracleana J gtkpi."3;59
Gxtqrum "ftwj0" Nctx{ "vxq " -ktqm2" nkuvqx2" okp{ "pc" Heracleum sphondylium, H. sibiricum
c H. mantegazzianum0
Mq gpqx [20]<3;0XK04228."3" **UY+."LR] "Qnf kej qx" x" J "ej"]54d_<490X04226."3" **UY+."LR]

Phytomyza homogyneae J gtkpi."3;49
J qtm "ftwj" u"rcngctmykem o "tq|- gp|o."x" gum2"tgrwdnkeg"fqufw"rqvxt|gp "rqw|g" |g"TMW o cx{ "
* gtp "(X^anc"4227+0" Nctx{ "okpwl" x"nkuvgej "Homogyne alpina0
Jizerka [18a]<4;0XKK04226."3" **UY+."LR] "Te-gukpk-v "Lk|gtm{"PRT"}62c_<450XK04227."3" **UY+."LR]

Phytomyza lusatica J gtkpi."3;77
Ftwj" |p^ao " |" P o gemc" Rqnumc. x" gum2"tgrwdnkeg"fqufw"pcng|gp"lgp" x" gej^aej<"TMW o cxc"
ó"Rqrgnp^a* gtp "(X^anc"4227+0" Dkqnq ikg"lg"fqufw"pg|p^ao^a0
Rejdice [41]<470X04228."3" **UY+."LR]

Phytomyza marginella Hcm^ap."3:45
Gxtqrum "ftwj0" Nctx{ "vxq " fnqwj qw" c" Á|mqw" nkuvqxqw" okpw" pc" tquvnpk^aej" p mqnkmc" tqf " Cwgcecg." | glo^apc"tqf "Sonchus, Lapsana, Taraxacum c"vcm² Cicerbita, Crepis, Lactuca,
Mulgedium, Picris c Prenanthes0"

Jqtp" gtp" "Uwf pk"]34_<450XK04228."3" .3" **UY+."LR] "Renk pfm"]56d_<470X04227."3" **UY+."LR] "Rejdice [41]<340XK04229."3" **UY+."O 0

Phytomyza nigrifemur J gtkpi."3;56
Gxtqrum "ftwj." fqufw"pg|rqvxt|gp " |" lkfp"|"Gxtqr{ "J quvkvgnmqw" tquvnpq"lg"rtcf r fqdp " Melampyrum nemorosum0
Bukovec PR [2b]:530X04225."3" **UY+."LR] "M flqx "xtej"RT [23]<520X04226."3" **UY+."LR]

Phytomyza nigripennis Hcm^ap."3:45
Gxtqrum "ftwj0" Dkqnq ikg"lg"fqufw"pg|p^ao^a. Nctx{ "cng"rtcf r fqdp "okpwl" xg"uvqpmw"pgdq" qf gpmw"Anemone nemorosa0
Bukovec PR [2c]:90XK04228."4" .4" **UY+."LR] "Ogcpft{Uo f2"RT"]49c_<30X04227."4" **UY+."LR] "Rejdice [41]<470X04228."3" **UY+."LR]

Phytomyza notata Ogkigp."3:52
Gxtqrum "ftwj0" Nctx{ "vxq " mt^aymqw. -kt- r foq ctqw" okpw" x" nkuvgej "Ranunculus acer,
R. auricomus, R. bulbosus c"R. repens0
Pavlina louka [35]<370XK04229."3" **UY+."O 0

Phytomyza obscurella Hcn²p."3:45

Rcngctmkem "ftwj."|p^a o "|Gxtqr{."Ocfgkt{."Mktik|uv^apw"|"Mwtknum ej"quvtqx 0|"Nctx{"vxq ¶ x"nkuvgej"Aegopodium podagraria -ktqmqw"pgrtcxkfgnpqw"|"r ¶ oq ctqw"okpw."mvgt^a"r kn²j^a"m"qmtclknkuvvw

Bílý Potok [1b]<50/380XK04227."3" *OV+|"Bukovec PR [2c]<90XK04228."3" *UY+."LR|Mq gpqx"42<3;0XK04228."3" *UY+."LR|Rcngctmkem"56c<340XK04229."3" *UY+."O 0|Plavy [36]"450XK04228."3" .4" *UY+."LR|Raspenava [39b]<330XK04228."3" *UY+."LR|Rejdice [41]<470XK04228."6" *UY+."LR|Vlej^a ¶ me"RR"6:<520XKK0360XKK04226."3" *OV+."LR|

Phytomyza pastinaceae J gpfgn."3;45

J qnctmkem "ftwj."|p^a o "|Gxtqr{."c" WUC 0|Nctx{"okpw¶"x"nkuvgej"Pastinaca ur r 0J qtp¶"Nw cp{."35<40XKK04227."3" .3" *UY+."LR|

Phytomyza penicilla J gpfgn."3;57

Ftwj|p^a o "|g"uv gfp¶"Gxtqr{."c" Htcepkg 0|Nctx{"okpw¶"pc"ftw|¶ej" Lactuca ur r 0Bílý Potok [1a]<40XK04228."3" *UY+."LR|

CZ!

Phytomyza pimpinellae J gpfgn."3;46

Gxtqrnum "ftwj 0|Nctx{"vxq ¶ tgnckxp "mt^avmqw"|"c"-ktqmqw"okpw"pc"j qtp¶"utcp "nkuv "Pimpinella major 0

Bílý Potok [1b]<380XK0/70XK04227."3" *OV+|"Raspenava [39c]<380XK04229."3" *UY+."O 0

Phytomyza plantaginis Tqdpgcw/Fguxqkf{."3:73

Ftwj"qdgep "tq|-¶ gp "xg" x ejqfp¶"uvk"rcngctmkem"qdnckv"Ugxgtp¶"C ogtkeg"Mcpcfc."WUC 0|Qlgfkpn²"luqw"¶"a|pc o {"|g"¶"rcfp¶"uvk"rcngctmkv."chtqvtqrkem"2."qtkgpv^anp¶"c" cwuvtcnun²"qdnckv"0|Nctx{"vxq ¶ A|m².d¶"r ¶ oq ct²"okp{"x"nkuvgej"Plantago lanceolata"|"P. major 0

Bílý Potok [1c]<330XK04229."4" *UY+."O =|[1j]<330XK04229."3" *UY+."O 0|Klínový vrch [19]"340XK04229."3" *UY+."O 0|Q g-p¶"55<350XK04229."3" *UY+."O 0|Raspenava [39c]<380XK04229."5" *UY+."O 0|Tišina [49b]<340XK04229."4" *UY+."O 0

Phytomyza podagrariae J gtkpi."3;76

Ftwj"tq|-¶ gp "xg"uv gfp¶"Gxtqr "c" Nqv {-umw 0|Nctx{"okpw¶"x"nkuvgej"Aegopodium ur r 0

Bílý Potok [1a]<40XK04228."6" *UY+."LR|[1b]<4;0XKK0/3;0XKK04227."3" *OV+|[1c]<330XK04229."4" *UY+."O 0|Ocn" Utcep"RT"47<40XKK04227."4" .4" *UY+."LR|Rejdice [41]<470XK04227."7" *UY+."LR|

Phytomyza ptarmicae J gtkpi."3;59

Gxtqrnum "ftwj 0|J qukvgnun²"tqvnkp{"luqw" Achillea millefolium"|"A. ptarmica.

Bílý Potok [1e]<340XK04229."7" *UY+."O 0|Ogcpt{."Uo f"RT"49f<360XK04229."4" *UY+."O 0

Phytomyza ranunculi *Uejtcpm."3:25+

Ftwj" d flip "tq|-¶ gp "x" Gxtqr ."Ugxgtp¶"C ogtkeg."rqvxt|gp "vcm² |" Octqmc." ¶ p{."Mktik|/uv^apw."Mc|cej uv^apw."Mwtknum ej"quvtqx ."Lcrqpmc"|"Kpfkg 0|Nctx{"x{vx^a gl¶"fnqwjqw."p^arcfp" A|mqw"|"d¶"nqw"ejqfdk mqxkvqw"okpw"|"x"nkuvgej"Ranunculus ur r 0|glo²pc"R. acris. R. repens c"R. lingua 0

Bílý Potok [1a]<40XK04228."5" .4" *UY+."LR|[1b]<3;0X/50XK04227."3" *RV+|=50/380XK04227."3" *OV+|[1j]<330XK04229."3" *UY+."O 0|Bukovec PR [2a]<320XKK04225."3" *UY+|=3;0XK04227."3" *UY+."x-g"LR|[2b]<430XK04228."3" *UY+|=440XK04227."3" *UY+."x-g"LR|[2c]<90XK04228."34" .:" *OV+|[2d]<4;0XKK04227."6" *UY+."LR| gtpqwu{/X'Rqak [6]<360X/360XK04229."3" *OV+|"Hqlvgem "o qm cf"RR":_<3;0XK04225."3" *UY+."LR|

Frýdlant [9]<440|X|4228."3" "*OV+|Lgflnqx "f n RT"j38,<340|XKK04227."3" "*U Y +."LR"Jizerka [18a]" :0XKK04225."3" "*U Y +."LR"=4;0|X|4228."4" .".3" "*U Y +."LR"=[18b]" :3;0|X|4227."3" "*pq p||U Y +."LR"=3;0/440|X|4228."5" "*U Y +."LR"Ocn a|Utvpc|Rt"j47,<40|XKK04227."3" "*U Y +."LR"Oc tkh|pumq,j|tum"dqwf {|[148,<450|XKK04228."3" .".7" *".N+.LR"Ogcpt{[Uo f|Rt"j49d,<60/3;0|X|4227."3" "*OV+."3" *|[RV+0|Mnisek [28]."4;"0|X|4227."3" "*U Y +."LR"Qnf|qkx" x"j54d,<49|X|4226."3" "*U Y +."LR"Polednik [37]<36/4;0|XKK04227."3" *|[RV+0|Raspenava [39a],"530|X|4226."3" "*U Y +."LR"Ce-gnpk-v "Lk|gtm[PRT]"j62d,<3;0|X|4227."3" *|[RV+0|Rejdice [41]<380|X|4227."3" *|[RV+0|Gv+f=47|X|4228."3" "*U Y +."LR"Rudolfov [42]<520|X|4226."3" "*U Y +."LR"U o tm"j67c,"50/460|XKK04228."4" *|[RV+0|Stolpichy [47]<35|X|4229."3" "*U Y +."O 0

Phytomyza ranunculivora Jgtkpi."3;54

Gxtqrum " ftwj0" Nctx{ "x" vx^a gl^b" fnqwjqw. "A|mjqw. "d|nqwm" nkuvqxqw" o kpw" u" ej ctcvgtukv kem / o k" mnwcv o k" | tpm{ "vtwu w nqflgp o k" fcngmq" qf" ugdg0" J qukvgnunm² tquvnkp { "luqw" ftwj { "tqfw". Ranunculus⁰

Bílý Potok [1b]<50°38'0XK04227."3" ."3" " *OV+0" **Mníšek [28]<**46°0X04225."3" " *U Y+=";0X04227."3" " *U Y+. "x-g"LR)

Phytomyza senecionis Mcvpgpdcej."3:8;

Rcngctmvkem "ftwj "|p^o " |"Gxtqr {"c"vcm?"| "Lcrqpu"m"c" Mktik |uv^apw" Nctxx {"x"vx^g |"pgqd/ x {mng"fnqwj qw"c'A|mqw"ejqfdk mqxkvqw"o kpw"pc"uxtejp"uvtcp "nkuww"ftwj " |"qmtwjw"Senecio nemorensis" |"

Bílý Potok [1b] <40X\4228."3" *"UY+."LR>"**Harta [10]**<"34>X\4228."4" *"UY+."LR>"**Plavy [36]**<"45\X\4228."3" . 3" *"UY+."LR>

Phytomyza soenderupi Jgtkpi."3:64

Gxtqr "ftwj."fquwf"p^o |"g"ugxgtp|" ^rcfp"|"uv gfp"|"Gxtqr {"c"vcm^2|"Guvqpumc0"|"Nctx {" o kpwl"|"x cr"mw"pkuw"|"Caltha palustris|}

Phytomyza spinaciae Jgpfgn. "3:57

Rcngctmkem "ftwj"tq|-¶ gp "x"Gxtqr "c"rqvxt|gp "vcm²"|"Mktik|uv^apw⁰Nctx{"x|vx^a gl¶"ejc/ cmvgtkukwem {"|gnnp². "fnqwj²"c"À|m²"o kp{"x"nkuvgej"tqfw" *Cirsium* c vcm² *Carduus*, *Onopordon* c *Serratula*

Ogcnft {"Ue_f2"RT"49c<"36|X|4229 "3" "*UY+ "O_ -"[?7b]<"53|X|44|X|4227 "3" "*OV+

Phytomyza spoliata Uytqdn "3:28

Phytomyza spondiiae Utvold. 3, 28
X ejqfqrcngctmkem "ftwj" | p^a o " | "Gxtqr {"c|rqvxt|gp "vcm²"| "K|tcgng."U tkg"c|Vwtgemc0" Nctx {"vxq "rtko" tp "pgrtcxkfgnpqw" | mqw"ejqfdk mw."mvgt^a"ug"tq|-k wlg"fq"rnq-p²"okp {"x"nkuvgej" | Centaurea"ur r⁰"c|vcm²"Cirsium heterophyllum

Mnříšek [28]<"460X\4225."3" "U Y +."LR)"Qnf kej qx" x" J "l[ej]" 54d,<"490X\4226."4" .4" "U Y +."LR)"

Phytomyza spondylii Tqdkgcw/Fguxqkf{."3:73

Ftwj"|"p^a o "|"Gxtqr{."Mc o cvm{."kp fkg"|"cm²"|g"Ugxgtp"|"C o gtkm{|^Nctx{"okpwl"|"pc"Heracleum"|"urr"|"c"Astrantia"|"urr⁰

Rejdice [41]<"470X\4227."3" . "3" **U Y+."LR0

Phytomyza subrostrata Htg. "3; 68

Gxtqrum "ftwj." | p^a o "Igp" | T. "Uinqxgpumc." Guvqumpmc. "Nqv{ -umc. "Hkpumc. "TMx²fumc" c"Twumc" Nctx { "o kpwl" x"mx vgej" *Trollius altissimus*.

Bukovec PR [2b]<"380XK04229."3" "UY+."O 0

Phytomyza tanaci J gpfgn. "3; 45

Rcngctmkem "ftwj" | p^a o | "Gxtqr { "c" Mwtknum ej "quvtqx "Nctx { "o kpwl" | "x" nkuvgej "Chrysanthemum vulgare, Achillea millefolium" c" quvcvp ej "ftwj "tqfw" Achillea

Ogcptf "U o f²" RT] 49c_ "3|X|4227." 3" "UY+." LR= "[27d]" 36|X|4229." 6" "UY+." O 0 "Tc-gpkp-v "Lk|gtm " PRT] 62d_ "38|X|50|X|4227." 3" "OV+0 Tišina [49a] "34|X|4229." 4" "UY+." O = "[49c]" 34|X|4229." 9" "UY+." O 0

Phytomyza trollii J gtkpi. "3; 52"

CZ!

Ftwj" | p^a o | "g" | "rcfp" | "uv gfp" | "c" ugxgtp" Gxtqr { . Guvqpumc "c" Nqv {-umc0" Nctx { "x { vx^a gl" ej qfdk mqxv² o kp { "x" nkuvgej "Trollius altissimus"

Bukovec PR [2b] "44|X|4227." 3" "UY+." LR

Phytomyza trolliivora J gtkpi. "3; 57"

CZ!

Gxtqr "ftwj" fqwf" pg r qvxt | gp | "lkflp" Gxtqr { "Nctx { "x { vx^a gl" -ktqm² o kp { "x" nkuvgej "Trollius altissimus"

Bukovec PR [2c] "90|X|4228." 3" "OV+0

Phytomyza wahlgreni T{ f²p. "3; 66

Ftwj' d flp "tq" -| gp "x" Gxtqr . | p^a o "vcm²" | "Octqmc. W | dgmkuv^a pw. | p { . Mwtknum ej "quvtqx " c" WUC" Nctx { "o kpwl" | "x" nkuvgej "Taraxacum" ur r0

Bukovec PR [2b] "44|X|4227." 3" "UY+." LR Bulovka [3] "3|X|4227." 3" "UY+." LR

Pseudonapomyza atra *Ogkigp. "3; 52+

J qnctmkem "ftwj." d flp "tq" -| gp 0 "Nctx { "vxq" | "mt^a v m q w" o kpw "x" nkuvgej "vtcx." o kpwl" | glo² / pc" pc" ftw | ej "tqf "Apera, Avena, Hordeum, Lolium, Phalaris, Poa, Secale c Triticum

Bílý Potok [1a] "53|X|4226." 3" "UY+." LR= "[1c]" 33|X|4229." 3" "UY+." O 0 Hejnice [11b] "35|X|4229." 8" . 3" "UY+." O 0 Klínový vrch [19] "34|X|4229." 3" "UY+." O 0 Ogcptf "U o f²" RT] 49f_ "36|X|4229." 4" . 4" "UY+." O = "30|X|4229." 3" . 3" "OV+0 Qnf kej qx" x J | fej] 54d_ "49|X|4226." 3" "UY+." LR Q g-p[m] 55_ "35|X|4229." 3" "UY+." O 0 Pavlina louka [35] "370|X|4229." 3" "UY+." O 0 Raspenava [39c] "380|X|4229." 3" "UY+." O 0 Tišina [49b] "340|X|4229." 3" "UY+." O = "[49c]" 34|X|4229." 3" "UY+." O 0

Pseudonapomyza europaea Urgpegt. "3; 95

J qnctmkem "ftwj" | p^a o | "Gxtqr { . x um{v" rvxxt | gp "vcm²" | "Vwtgemc. Lcr qpumc. Mcpcf { c" WUC" Dkqnqikg" ftwj wlg" fqwf" pg | p^a o^a. nctx { "rtcxf r qfqdp "vcm² o kpwl" | pc" vtca ej "lcmq" w" ftwj wP. atra.

Bílý Potok [1c] "33|X|4229." 3" "UY+." O 0 Hejnice [11b] "35|X|4229." 4" . 3" "UY+." O 0 Ocr^a "Uvtcp" RT] 47_ " ; 0/45|X|4225." 3" "OV+0 Ogcptf "U o f²" RT] 49f_ "36|X|4229." 3" "UY+." O = "30/47|X|4229." 3" "OV+0

\ jqfpqegp" x ung fm

Vcvq" rt^a eg"uj t pwl "Afc lg" q" p^a ng | gej "ftwj " gng fk" C itq o { | kf cg" | "umcp² ud t { "x" qdf qd" | "ng" 422564229" pc" 74" hqmcnkv ej "Lk|gtum ej "jqt" c" Ht fncpvumc "Xg" | mqw o cp² o "A|g o | "d{ nq" fquwf" | lk-v pq" 384" ftwj "Lk|gtum" jqt" 6" 364" ftwj . Ht fncpvumc "6" 9" : ftwj +. eqfl" r gfuvcxwlg" 57.6" | "egnmqx² j q" rq vw" 67" : ftwj "flk|e|ej" x " gum² "tgrwdnkeg" c" 67.. : " ftwj | p^a o ej | " gej 0 R gxn^a fc" ftwj { "u" rcngctmkem o "tq" -| gp | o "78" 6" 56.8" +. j qnctmkem o "tq" -| gp | o "64" 6" 47.. : " +. c" gxtqr "m" ftwj { "5; "6" 46.3" +. " hcwpkukem² j q" jngfkumc "lg" x | pc o p "p^a ng" -guvk" p q x ej "ftwj "rtq" hcwpw" gum² "tgrwdnkm { "Liriomyza tanaci." L. wachtlili." Phytomyza

enigmoides. "P. penicilla."P. trollii."P. trolliivora" c"-guvk" ftwj "pqx ej" rtq" hcwpw" gej< L. buhri." L. puella."L. taurica."Napomyza bellidis."N. maritima. N. merita Xg fng xgn o k" jqlp ej" c" legnc" d flp ej" ftwj "lcmq" luqw" Nktkq o { /c" t cxgqnc" c" Phytomyza ranunculi" d{ n" xg" ung f qxcxp" qdncuvk" |c|pc o gp" p" k" x um{ v" p mvgt ej" ftwj "ug" urgeklem ol" gmqnq i kem ol" p" a tqm{ 0" Luqw" vq" jncx/ p" ej" ncfpq o knp" ftwj { .ej" ctcmvgtkukek" r gfgx- f" o" rtq" o qpv" pp" r" u o q" jqt" gum" tgrwdhkm{ < Chromatomyia pseudomilii." mvgt "lg" fquwf" rqvxt|gp "lgp" |" Dnepum" 2" j" q" nguc" * gtp " ("X" a" nc" 3 ; ; 8=+ "Ch. rhaetica" fquwf" |p" a" lgp" | g" TMW o cx { * gtp " ("X" a" nc" 4227+ "Liriomyza wachtlia lcmq" rtxqp" ng" |rtq" hcwpw" T="Phytomyza homogyneae." mvgt "lg" rqvxt|gp "lgp" | g" TMW o cx { * gtp " ("X" a" nc" 4227+ 0"

Og|k" |cl" |o cx" p" a" ng| { rcv "vcm" 2" p" a" ung fwl" |e" ftwj { < Cerodontha rozkosnyi." mvgt "d{ n" |p" a" / o" rqw" g" |v" r qx" 2" hqmcnkv{ "D" hkp" o" Tcfq" C" beigerae." |p" a" o" x" gum" 2" tgrwdhkeg" fquwf" lgp" |" X" uqm" 2" pcf" Ncdg o" * gtp " ("X" a" nc" 4227+ "c" Ophiomyia bohemica" |p" a" o" |c" |o" lgp" |v" r qx" 2" hqmcnkv{ "x" N" u" 2" pcf" Ncdg o" 0" F" ftwj "Aulagromyza lucens" d{ n" fquwf" x" gum" 2" tgrwdhkeg" rqvxt|g/ p" rqw" g" |" P" g" o" q" - keg" * gtp " ("X" a" nc" 4227+ "c" Phytomyza lusatica" lgp" |" Rqrgrnp" 2" pc" TMW o cx " * gtp " ("X" a" nc" 4227+ 0"

M" pglegpp 1- f" o" A" |g" o" L" |gtum ej" jqt" |" jng fkumc" x um{ vw" gng fk" C" itq o { |kfcg" rcv "xnjm" 2" r qfj qtum" c" j qtum" hqwm{ "u" ftwj jqx "dqj cvqw" mx vgpqw." mvgt 2" ug" x" um{ vw" |glo 2" pc" hqmcnkv" ej" x" qmqr" |" D" h" 2" j" q" Rqvqmc" c" Tglfke" c" x" tg" |gtxce" ej" Dwmqxe" c" Ocn" a" Utvcpc. pc" Ht fncpvumw" luqw" vq" hqmcnkv{ "RT" Ogcpt{ "U" o" f" 2" c" J" qtp" Rgtqvqvegol" Pglx" eg" ftwj "d{ nq" |cej { epgq" pc" hqmcnkv" D" h" Rqvqm" *83+ "c" x" RT" Ogcpt{ "U" o" f" 2" *64+ 0

Urgmvtwo" j quvkgnum ej" tquvnkp" xtvcngm" |cej { epg ej" pc" ung f qxcxp ej" hqmcnkv" ej" L" |gtum ej" jqt" c" Ht fncpvumc" lg" dqj cv" 2" c" |cj" tpwl" pc" 42" |p" a" ej" gng f" |j quvkgnum ej" tquvnkp 0

Nctx{ "C" itq o { |kfcg" luqw" x" nqflgp" o" qpqh" ip" pgdq" qnkiqh" ip" Rq{ h" i" p" ftwj { "luqw" x" lk o mqw" * Chromatomyia horticola, Liriomyza bryoniae, L. strigata+ 0" \ "egnmqx" 2" j" q" rq vw" 384" ftwj " |cej { epg ej" pc" ung f qxcxp ej" hqmcnkv" ej" lg" fqrquwf" pg|p" a" o" a" j quvkgnum" tquvnkp" w" 49" ftwj " *38.9" + 0" Og|k" gng fk" j quvkgnum ej" tquvnkp" u" pglrq gvp 1- f" o" x" um{ vg o" o" kpwl" ej" ftwj "pc" hqmcnkv" ej" L" |gtum ej" jqt" c" Ht fncpvumc" rcv "C" uvgtcecg" u" 62" ftwj { *46.9" + "Rqcecg" u" 54" ftwj { *3; : " + "c" Crkcecg" u" 33" ftwj { *8. : " + 0"

Ved" 0" 30" R" g" jng f" gng f" j quvkgnum ej" tquvnkp" u" rq v" |lk-v p ej" ftwj "C" itq o { |kfcg 0

Ved" 0" 30" V" j" g" h" o" knkgu" qh" v" j" g" j quv" rncpvu" y" kv" v" j" g" p" w" o" dgt" qh" v" j" g" h" qwpf" urgekgu" qh" C" itq o { |kfcg 0

| | | | |
|----------------|----|---|----|
| Crkcecg | 33 | Rncpvc ikpccecg | 3 |
| Cvgtcecg | 62 | Rqcecg | 54 |
| Dgwnccecg | 3 | Tcpewnccecg | 9 |
| Dqtcikpccecg | 3 | Tqucecg | 3 |
| Eco rcpwncecg | 3 | Twdkececg | 6 |
| Eppcdcecg | 3 | Ucnkececg | 3 |
| Ecrtkhqnikcecg | 3 | Uetqrjwnctkececg | 5 |
| E{ rgtcecg | 9 | Wtkececg | 6 |
| Hcicecg | 3 | Xkekcecg | 9 |
| Lwpececg | 5 | Rq{ h" i" " Rq{ r j c i g | 5 |
| Ncokcecg | 5 | Pg p" o" j quvkgn" l" J quv" rncpv" wpmmpqy p | 49 |

R guvqflg" x" v" 2" vq" rt" a" ek" luqw" wxg fgp{ " | lk-v p" 2" Afclg" q" x um{ vw" gng fk" C" itq o { |kfcg" |c" rq o t/ p" f" nqjw" j" qdfqd" kpvgp|kxp" j" q" rt" |mw o w" L" |gtum ej" jqt" c" Ht fncpvumc" pgp" r g" jng f" ftwj " fg" Lpkvxp" w" |cx gp" c" luqw" | fg" uc o q| glo" o qflp" p" a" ng| { fcn" ej" ftwj 0"

NKVGTCVWTC

- DNCPFM^oR. 2000: Lc o g^u"J ctf ("cp^f"uq o g^p"pg y^u" { pqp { ou hqt" Dtkvku^j "Hnkgu["]Fkrvgtc["]Egekfq o { lkfcg["]Citq o { |kfcg["] cp^f"Cpvjq o { lkfcg["]Dipterists Digest."9^o; /36] GTP "O^o" 3; ; <"Hewpkuvke["]tgeqtfu["]Citq o { |kfcg["]rr^f"422/429["]Kp["]LGFNK MC["]N^o*gfu["]Dipterologica Bohemo-slovaca."Xqn^o; 0["]Unqxl["]Gp["]Uqe["]Dtcvkuncxc.["]436" rr^f" GTP "O^o" 4229["]Vy q["]pg y["]urgekju["]qh["]vjg["]igpwu["]Egtqfpqvc["]*Fkrvgtc["]Citq o { |kfcg["]Folia Heyrov.["]36 *5["] ; /7/326] GTP O^o"DCTV f M["]O^o" ("MWD" M["]T["]4227: Citq o { |kfcg["]rr^f"4: 7/522["]Kp["]DCTV f M["]O^o" ("MWD" M["]T["]0 *gfu["] Diptera of Podyj National Park and its Environs["] gum["]go f num["]wplxgt["]kvc["]x Rtc["]g["].654" rr^f" GTP "O^o" ("OGT\ "D["]4228["]Pgy["]tgeqtfu["]qh["]Citq o { |kfcg["]Fkrvgtc["]htq o["]Rcncgetevke["]Tgikqp["]Mitt. Schweiz. Ent. Gesellschaft, 9; /99/328] GTP "O^o" ("OGT\ "D["]4229["]Pgy["]tgeqtfu["]qh["]Citq o { |kfcg["]Fkrvgtc["]htq o["]vjg["]E["]gej["]cpf["]Unqxem["]Tgrwdhke["] cu["]Ung["]Ow["]Ow["]Crx["](A).67["]379/38; ; GTP "O^o" ("Xf NC["]O^o" 3; ; 8["]Hewpkuvke["]tgeqtfu["]qh["]Citq o { |kfcg["]Fkrvgtc["]htq o["]vjg["]E["]gej["]cpf["]Unqxem["]Tgrwdhke["] cu["]Ung["]Ow["]Ow["]Crx["](A).67["]379/38; ; GTP "O^o" ("Xf NC["]O^o" 4227["]Hewpkuvke["]tgeqtfu["]Citq o { |kfcg["]Kp["]"MWD" M["]T["]0 ("DCTV f M["]O^o*gfu["]Fkrvgtpq*q i kec*["] Dqjg o qunqxec["]Xqn["]33["]Folia Fac. Scil["]Nat["] Univ["] Masaryk["]Brun["]Biol.["]32; *4226<["]557/5650] GTP "O^o" ("Xf NC["]O^o" 4228["]Citq o { |kfcg["]Hcm["]p.["]3: 32["]Kp["]LGFNK MC["]N^o.UVNQWMCNQX f["]X["] ("M-FGNC" O^o*gfu["]Checklist of Diptera of the Czech Republic and Slovakia."Gngetqpk["]Xgtukqp["]30["]jwr["]ll|qqnq i["]lhpul["] wpkdcolum["]fkrvgtc["]cpf["]EF/TQO["]KUDP["]: 2/ ; 8; 84; /2/8+0] GTP "O^o.Xf NC["]O^o" ("XNM" T["]4228["]Hewpkuvke["]tgeqtfu["]Citq o { |kfcg["]Kp["]MKPMQTQX f["]L["]*gfu["]Fkrvgtpq*q i kec*["] Dqjg o qunqxec["]Xqn["]35["]Acta Univ. Carol..Biol.["]72["]372/376] FCTXCU["]D["]UMW J TCX f["]O^o" ("CPFGTUGP C["]4222["]Citkewnwltcn["]fkrvgtcp["]rguv["]qh["]vjg["]Rcncgetevke["]Tgikqp["]rr^f" 787/86; ; 0["]Kp["]RCRR N^o" ("FCTXCU["]D["]*gfu["]Contributions to a Manual of Palaearctic Diptera, Volume 10" Uekpeg["]J gtcnf. Dwfcr["]; 9; "rr^f] JGTPKI["]G^o" 3; 79["]Bestimmungstabellen der Blattminen von Europa."K/KKK["]Ü I tcxgpj c["]ig.33: 7-443" rr^f] OCTVKPG["]O^o" 4228["]Citq o { |kfcg["]Kp["]RCRGV["]*gfu["]Fauna Europaea: Diptera Brachycera. Xgtukqp["]305["]Cxcknedng["] qpnkpg["]cv["]jwr["]ll y y["]hewpkuvwtqti["]] RTWPGT["]N^o" ("O["]MC"R["]3; ; 8["]Ug["]pc o["]qde["]c["]lgle["] ; u["]x["] gum["]tg rwdhkeg["]u["] lqn["]o crqx ej["]rqn["]rtq["]u["] qx["] o crqx a["]p["]hewp["](0["]lhu["]qh["]ugvng o gpv["]kp["]vjg["]E["]gej["]Tgrwdhke["]ykvj["]cuuqekcvg["]o cr["]Lgnf["]efqgu["]hewpkuvke["]itkf["] o cr rkp i["]u["]wg o["]Klapalekiana.["]54["]Uwr rn["]h["]3/337["]kp["]E["]gej["]Gp["]injkuj["]uw o o["] UMW J TCX f["]O^o" ("TQSWSGU C["]4222["]Rcncgetevke["]fkrvgtcp["]hqtgu["]rguv["].rr^f"873/8; 40["]Kp["]RCRR N^o" ("FCTXCU["]D["]*gfu["]Contributions to a Manual of Palaearctic Diptera."Xqn["]30["]Uekpeg["]J gtcnf. Dwfcr["]; 9; "rr^f] URGPEGT["]M["]C["]3; 95["]Agromyzidae (Diptera) of economic importance["]Ugtkgu["]Gpvq o qnq i kec. Xqn["]o g["]; 0["]Y["]Lwpm.["] Vjg["]Jcwg.["]627" rr^f] URGPEGT["]M["]C["]3; ; 2["]Host Specialization in the World Agromyzidae (Diptera)["]Ugtkgu["]Gpvq o qnq i kec. Xqn["]o g["]670["] Mnwy g["]Cecfg o ke["]Rwdhku["]gtu. Fqftfgej["]Dqwpq. Nqfpqp. 666" rr^f] XQP["]MC["]R["]422["]: Gpvq o qnq i kec["]x["] |mw o["]Lk["]|gtum ej["]j qt["]c["]Ht fncpvmc["]x["]hvgjej["]4222/4229["]Gpvq o qnq i kec["]unwxg["] qh["]vjg["]Lk["]|gtum["]j qt["]Ov["]cpf["]Ht fncp["]tg i kqp["]kp["]4222/4229["]Udqtp["]Ugxgtq["]gu["]Ow["]/0. R f["]X f["]. Nkdgtge.["]48["] 5/34["]kp["]E["]gej["]Gp["]injkuj["]uw o o["]] XQP["]MC["]R["] ("XKM" F["]M["]T["]4222["]: "mnccfp["]e jctcmvgtkvnmc["]|m["]qwo["]op["]2["]j["]q["]À["]g o["]Lk["]|gtum ej["]j qt["]c["]Ht fncpvmc["] * I gpgt["]e jctcevgtkuvke["]qh["]vjg["]f["]ctg["]kp["]vjg["]Lk["]|gtum["]j qt["]Ov["]cpf["]Ht fncp["]tg i kqp["]Udqtp["]Ugxgtq["]gu["] Ow["]/0. R f["]X f["]. Nkdgtge.["]48["] 35/55["]kp["]E["]gej["]Gp["]injkuj["]uw o o["]] \NQDKP["]X["]X["]4222["]Eqpvtwdkqp["]v["]vjg["]mpqyngf["]qh["]Citq o { |c["]urgekju["]Fkrvgc["]Citq o { |kfcg["]hggflp i["]qp["] Ng i o kpqucg["]I. International Journal of Dipterological Research.["]33*3+["]59/670]

UWO OCT 1

Tgeqt'fu"qh"Citqo { |kfcg"eqmgevgf"cv"74"nqecnkvgu"kp"vjg"lk|gtum"jqt{"Ovu"cpf"ht fncpv"tgikqp"kp"422564229"ctg"uw o ctk|gfl"cnvqigjgt"384"urgekgu"y gtg"hwfp"kp"vjg"ctgc"wpf"gt"uwvf {"*lk|gtum"jqt{"Ovu"o"364"urgekgu."ht fncpv"tgikqp"o'9":'urgekgu+=vjku"pw o dgt"tgrtgugpu"5706 'qh"vjg"urgekgu"nkxkpi"kp"vjg"E|gej"tgrwdnke"67:"ur r0+cpf"670: 'qh"vjg"urgekgu"mpqyp"vq"qeewt"kp"Dqjg o k0"htq o "vjg"lqqiqitcrjkec|rqkp"qh"xkg y."vjg"Rcnctevke"urgekgu"fkuvkpw{ "rtgxckn"78"urr0"o"5608 '+'."64"urgekgu"kp"0"470: +'ujqy"v"c"Jqntevke"v{ rg"qh"fkuvkdwkqp"cpf"vjg"

Gwtqr gcp "fkvtwdwkqp "ku"mpq y p"kp"5;"ur r0**4603 '+'+0"Ukz"ur gekgu"y gtg"tgeqtfgf"kp"v jg"E|gej" Tgrwdnke" hqt"v jg" Ltuu"vk o g" *Liriomyza tanaceti."L. wachtlii."Phytomyza enigmoides."P. penicilla." P. trollii."P. trolliivora+. "cpf"ukz"ur gekgu" y gtg"hqwpf"kp"Dqj g o kc" hqt"v jg" Ltuu"vk o g" *L. buhri." L. puella."L. taurica."Napomyza bellidis."N. maritima."N. merita+0"Kp"cffkvkqp"vq"eq o o qp"cpf" htgs wgpv"ur gekgu"uwe j"cu" Nktkq o { /c "l cxgqnc"cpf"Phytomyza ranunculi."cnuq"uq o g"ur gekgu"y kvj" ur gekcnkugf"geqnq i kecn"tg swktg o gpv u"uj qwnf"dg" o gpv kqpgf0" Hktuv"qh"cmn"uq o g"ru{ ej tqr j knqwu" ur gekgu"ctg"e jctcevgtkuwe"qh" o qpvcpf"ctgcu"qh"v jg"E|gej" Tgrwdnke" Chromatomyia pseudomilii y cu"getnkgf"eqnqgevgf"qpn{ "kp"v jg" Dnepum "ngu"Ovu" * gtp " ("X^a nc"3; ;8+. "Ch. rhaetica"cpf" Phytomyza homogyneae" y gtg"mpq y p"qpn{ "htq o "v jg"TMw o cxc"Ovu" * gtp " ("X^a nc"4227+0

Qvjgt"kpvtgkvp i"tgeqt fu"kp"v jg" E|gej" Tgrwdnke" qpn{ "htq o "v jg"v{ rg"nqecnkv{ " *Df|kpc"0" Tcfq f+=C. beigerae."hqwpf"cv"X{uqm^a"pcf" Ncdg o " * gtp " ("X^a nc"4227+0"cpf"Ophiomyia bohemica."tgrqtvgf"qpn{ "htq o "v jg"v{ rg"nqecnkv{ "cv" N{u^a"pcf" Ncdg o "0" Wpvnkn"pqy."Aulagromyza lucens" y cu"tgeqtfgf"kp"v jg"eqwpv{ "qpn{ "cv" Pg o q-keg" * gtp " ("X^a nc"4227+0"cpf"Phytomyza lusatica"qpn{ "cv"Rqr gnp"pc"TMw o cx" * gtp " ("X^a nc"4227+0

Oqkuv"uw d o qpvcpf"cpf" o qpvcpf" o gcfq y u"y kvj" c"tkej" l qtc"qeewttkpi"rctvkewnct{ "cv"nqecnk/ vkgu"kp"v jg" xkepkv{ "qh"v jg" Df| "Rqvqm." Dwmqxge."Tglfkfeg"cpf" Ocn^a"Uvtcpc" *Lk|gtum2" j qt{ "Ovu+" cu"y gm"cu" o gcpfgtu"qh"v jg"Uo f^a"txgt"cpf" J qtp" Rgtvqnvkeg" *Ht fnepv"tg i kqp+dgnqpi"vq"v jg" o quv"xcnwcdng"ctgcu"eqpegtpkpi" C itq o { |kfcg"eq o o wpkvgu"V jg"the j guv"ur gekgu"cuug o dnc i g" *83"ur r0+ "y cu"hqwpf"cv"v jg"nqecnkv{ "Df| "Rqvqm." o gcpfgtu"qh"v jg"Uo f^a"txgt"y gtg"v jg"ugeqpf" o quv"rtqfwevkxg"nqecnkv{ " *y kvj"64"ur r0+0

V jg"urgevtwo"qh"j quv"rnccpvu"qh" o kp kpi" c i tq o { |kfu"cv"v jg"uvw fkg"ukvgu"qh"v jg" Lk|gtum2" j qt{ "Ovu"cpf" Ht fnepf"tg i kqp"ku"tkej."kpenwfkpi"42"fkhhgtgpv"hc o knkgu0

Nctxcg"qh" C itq o { |kfcg"ctg"o quv{ "o qpq rj c i gu"qt"qmk i qr j c i gu."rqn{ r j c i gu"ugg o "vq"dg"tcv j gt" gze grv kqpcn" *glo" Chromatomyia horticola."Liriomyza bryoniae."L. strigata+0"Qh"384"ur gekgu" tgeqtfgf"cv"v jg"uvw fkg f"nqecnkvkgu."v jg"j quv"rnccpv"ku"wpmpq y p"kp"49"ur gekgu" *3809" +0"Eqpegt/ kpi"htgswgp{ "qh"v jg"hc o knkgu."o clqtkv{ "qh"v jg"j quv"rnccpv" dgnqpi"vq"Cuvgtcegcf" *62"ur gekgu."k0g0" 4609" +."Rqccegcf" *54"ur gekgu."3;0: " + "cpf"Crkcegcf" *33"ur gekgu."80: " +0

Cnvj qwi j"v jg"rgtkqf"qh"kpvgpukxg"tugcete j"qh" C itq o { |kfcg"kp"v jg"vct i gy"ctgc"y cu"tgnckxgn{ " nqpi."v jg"nkuv"qh"tgeqtfgf"ur gekgu"ku" d{ "hct"pqv"eq o r nvg"cpf"hw tv j gt" Lpfkpiu"oc{ "dg"gz rgevgf" y kvj"egtvckpv{0